SUBJECT INDEX

Bold figures indicate the issue

Acoustic waves in the presence of electron currents. On the paramagnetic excitation of – **4,** 8
Ageing and plastic deformation on the structure and mechanical properties of alloy Ni15Kh5G3T3 with metastable austenite. Influence of – **2,** 129
– and plastic deformation on the structure of an Al–Zn–Mg alloy. Features of the influence of – **4,** 159
Alloy A–B–(C). Influence of short-range order on the ordering of – **5,** 85
– , Al–Zn–Mg. Features of the influence of ageing and plastic deformation on the structure of an – **4,** 159
– , complex titanium. Structural changes during the heating of a – **6,** 159
– , Co–Pt, and the influence of magnetic annealing. Structural features of the initial stages of ordering in – **4,** 140
– , Co–9 at.% Ti. Investigation of kinetic features of the decomposition of – **1,** 128
– , Fe–3% Si. Influence of recrystallization processes on the behaviour of dispersed inclusions in – **3,** 125
– , iron–nickel–molybdenum, with isothermal transformation kinetics. Influence of annealing on the austenite structure and martensitic transformation in an – **4,** 86
– KhN77TY. Influence of high-temperature thermomechanical treatment of the load-elongation curves of single crystals of – **2,** 153
– , KhN35YTYu. Concerning the influence of the γ' phase on the temperature dependence of the work of rupture of heat-resistant – **4,** 179
– , magnesium. Role of diffusion creep during superplastic deformation of – **6,** 144
– , N15Kh5G3T3, with metastable austenite. Influence of ageing and plastic deformation on the structure and mechanical properties of – **2,** 129
– , NiPt. Ordering kinetics and mechanism of domain structure formation during isothermal tempering of a quenched – **2,** 121
– Ni_3Fe. Influence of experimental temperature on the work hardening of mono- and polycrystalline – **3,** 152
– , V_3Si. Investigation of the optical properties of – **6,** 167
Alloys, binary, with determination of interaction parameters from experimental diagrams. Computer calculation of the constitution diagrams of certain – **5,** 96
– , binary. Influence of short-range order on the heat of formation of – **4,** 185
– , binary metallic. On the electrical and thermoelectrical properties of – **4,** 193
– AlZn after hydrostatic compression. Diffraction of X-rays by single crystals of ageing – **5,** 182
– CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of decomposition of the amorphous state of – **3,** 186

– , copper–aluminium–manganese. Small ferromagnetic inclusions in – **4,** 41
– , copper–tin and copper–tin–aluminium. Phase structure in quenched and aged – **1,** 174
– Cu+10 at.% Ni. Strengthening, recovery and structural changes during creep of – **5,** 156
– , Cu–Ni–Co. Magnetic properties of the system of dispersed ferromagnetic particles in – **2,** 187
– Dy–Sm. Magnetoresistance of – **6,** 58
– FeCo, FeNi and CoNi. Residual coefficient of the anomalous Hall effect in – **4,** 68
– , Fe–Mn–Al, isostructural with β-Mn. Ordering of iron atoms in – **6,** 177
– $(Fe_{1-x}Ni_x)_{80}P_{20}$. Magnetic anomalies of the Invar type in amorphous ferromagnetic – **6,** 173
– , Fe–Cr–Co–Mo, maraging – . Phase transformations during high-temperature austenitization and decomposition of the solid solution in the – **3,** 137
– , Fe–Mn, during plastic deformation. Mechanical twinning of the h.c.p. ε phase of – **2,** 148
– , Fe–Ni. Influence of heat and radiation treatment of austenite on the martensitic transformation in – **3,** 100
– , Fe–Ni–Mo and Fe–Ni–Si. Influence of the redistribution of atoms in the austenite of – **2,** 94
– , Fe–Zn. Structure and hardness of the martensite in – **2,** 166
– , ferromagnetic, with amorphous and crystalline states. Magneto-optical spectra of – **5,** 91
– $Ga_{1-x}Mn_xSb$ in the range 80–1000°K. Investigation of the kinetic properties of – **5,** 166
– , holmium and holmium–samarium. Magnetic phase transitions in – **1,** 58
– , influence of local symmetry on the magnetic anisotropy of – **6,** 78
– , iron and Fe–Cr. X-ray diffraction investigation of phase transformations in – **1,** 82
– , Fe–Ni, during the $\gamma \rightarrow \alpha$ transformation. Appearance of electromotive force in – **5,** 172
– , iron–chromium–cobalt. Anisotropy of the elastic properties in – **5,** 189
– , iron–nickel, peculiarities of secondary recrystallization in – **2,** 86
– , iron–nickel and nickel–manganese. Low temperature critical neutron scattering in – **2,** 190
– , iron–nickel–chromium, in weak magnetic fields. Magnetic properties of – **3,** 203
– , iron–nitrogen. Influence of phase transformations on secondary ion-ion emission in – **2,** 173
– , iron–nickel, with chromium. Model of the density of electronic states and calculation of the magnetic parameters of – **6,** 31
– , of iron with terbium. Magnetoelastic hysteresis in – **2,** 55
– , manganese–copper. Elastic constants of – **4,** 182
– , molybdenum. Role of nucleation conditions in the formation of an oxide phase internal oxidation of – **4,** 96
– , nickel. Recrystallization and grain growth in – **4,** 145
– , nickel–aluminium. Influence of silicon on diffusion in – **5,** 138
– , niobium–tin–copper. Phase equilibria and the superconductive properties of – **1,** 170
– Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of short-range order para-

meters in any coordination sphere in the pseudopotential approximation, and its application to a study of – **1,** 40
– PdFe, PdCo and PdNi. Thermo e.m.f. of – **6,** 50
– $Pd_{1-x}W_x$. Short-range order in – **3,** 184
– , platinum–iridium. Field ion microscopy of structure transformations in – **1,** 121
– , Pt–Fe. On the transition from antiferromagnetism to ferromagnetism in ordered – **3,** 76
– , titanium–niobium–zirconium. Non-magnetic localized iron impurity states in – **2,** 39
– $V_{2-x}Nb_xHf$. Nuclear magnetic resonance in – **6,** 94
– with a critical concentration and Invar anomalies. Magnetic properties of – **2,** 32
– with an f.c.c. lattice. Continuous approximation of the theory of interstitial diffusion in metals and – **3,** 34
Aluminium, interaction of hydrogen with, influence of surface reactions on the rate of – **3,** 144
– , grain boundary internal friction in recrystallizing – **2,** 203
Amorphous and crystalline states, magneto-optical spectra of ferromagnetic alloys with – **5,** 91
Amorphous state of alloys CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of decomposition of the – **3,** 186
Amplification, parametric, of magnetic waves in spin glass by elastic pumping **3,** 24
Anisotropy, magnetic, in two-layer films of Permalloy–Me(Cu, Al) **3,** 41
– , magnetic, of alloys. Influence of local symmetry on the – **3,** 78
– of the crystal potential on the band structure of titanium and nickel. Influence of – **5,** 184
– of transverse even galvanomagnetic effects in natural weakly ferromagnetic hematite **1,** 29
– of the elastic properties in iron–chromium–cobalt alloys **5,** 189
– of the easy plane type. On the theory of weak uniaxial ferromagnets with – **5,** 53
– , perpendicular, on the theory of the stripe domain structure in films with – **3,** 51
Annealing, influence of. On the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics **4,** 86
– , investigation of the plastic loosening of a metal and the healing of strain-induced defects during – **2,** 143
– , magnetic. Structural features of the initial stages of ordering in alloy Co–Pt and the influence of – **4,** 140
– of microvoids formed during creep. Peculiarities of the – **2,** 105
– treatment at temperatures below the crystallization pont. On the initial stages of decomposition of the amorphous state of alloys CoFe(SiB) during – **3,** 186
Anomalies, Invar, magnetic properties of alloys with a critical concentration and – **2,** 32
Antiferromagnetic state, magnetization of monocrystalline terbium in – **2,** 44
Antiferromagnetism, on the transition from – to ferromagnetism in ordered Pt–Fe alloys **3,** 76
Antiferromagnets, phase transitions in ferroelectric – **6,** 150
– , some peculiarities on the high-frequency properties of weak ferromagnets and – **1,** 193

Antimony, a comparison of the effect of arsenic and – on the band structure of bismuth **2,** 175
Atom, interstitial, in a split configuration. Dynamics of a b.c.c. lattice containing an – **5,** 38
Atoms in interstitial solutions. Static displacement and deformation interaction of – **2,** 160
– , temperature behaviour of the magnetization of Permalloy alloys in the presence of impurity – **6,** 73
Austenite, influence of heat and radiation treatment of – on the martensite transformation in Fe–Ni alloys **3,** 100
– , Influence of the high-temperature deformation of – on the structure and ageing kinetics of maraging steel N12K7M5TYu **5,** 129
– , On the orientation of ferrire in pearlite relative to – **4,** 190
Austenite grain, on recovery of the – during rapid heating of quenched carbon steels **3,** 200
Austenite stability, influence of, on the impact toughness of some austenitic steel. I. The quenched state **4,** 152
Austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics. Influence of annealing on the – **4,** 86
Austenitization and decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys. Phase transformations during high-temperature – **3,** 137

Bain deformation, conditions under which waves comparable with – are generated **5,** 30
Bainite transformation in steel. Suppression of the – **3,** 197
B.c.c. lattice containing an interstitial atom in a split configuration. Dynamics of a – **5,** 38
Bismuth, a comparison of the effect of arsenic and antimony on the band structure of – **2,** 175
Bismuth crystals held under load for a long time. Variations of wedge-shaped twins in – **2,** 201
Bloch–Neel domain wall transition point. Discontinuity of the limiting velocities at the – **3,** 194
Brittle failure of steel 35G5 after quenching and medium tempering. Influence of phosphorus grain boundary segregations and the microstructure on the – **4,** 123
Bubble domains, resonance properties of thin magnetic films where there is a lattice of – **1,** 187
Bubble plates inhomogeneous in depth. Static and dynamic properties of the domain walls of – **3,** 59

Carbonitrides in steel. The possibilities of using the model of perfect solutions for calculating the equilibrium composition and solubility of complex – **2,** 177
Cementite, on the Young's modulus of – **3,** 177
Charge transfer, controlling the composition of bismuth-based single crystals by the method of – **2,** 181
Chromium, model of the density of electronic states and calculation of the magnetic parameters of iron–nickel alloys with – **6,** 31
Cobalt and nickel atoms over the crystal lattice sites in compounds $Y(Ce_{1-x}Ni_x)_5$ and $La(Ce_{1-x}Ni_x)_5$. Neutron diffraction investigation of the distribution of – **3,** 120
Coercive force of a single crystal with narrow domain boundaries **1,** 64
– of domain wall migration in thin films. On the nature of the – **1,** 69
Coherent phase, formation of, on stress raisers – . The influence of the dissociation of

dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases **1,** 87
Composite V/Cu-Ga. On the formation mechanism of the phase V_3Ga in – **5,** 122
Composition of sintered magnet of Sm_2Co_7. Coercive force and phase – **5,** 194
Compounds, superconductive rare-earth, magnetic ordering in – **5,** 1
Compression, influence of, on the structural changes of low- and high-tempered engineering steel prestressed in tension **3,** 109
Crack formation on the boundaries of grains and twins in zinc cooled to low temperature **2,** 167
Creep of nickel. Dynamics of the variation of dislocation density during – **3,** 180
– of polycrystalline iron. Influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on – **5,** 162
– , peculiarities of the annealing of microvoids formed during – **2,** 105
– , relation between the precipitation of sedondary phases and the deformation and rupture of heat-resistant steels during – **1,** 74
– of alloys Cu+10 at.% Ni. Strengthening, recovery and structural changes during – **5,** 156
– , the development of a substructure and internal stresses during – **6,** 129
Creep testing in reactor BR-10. Electron microscopic analysis of the microstructure of steel OKh16N15M13B after – **6,** 154
Critical brittle point of polycrystalline metals with a b.c.c. lattice. Relation between the structure parameters and – **2,** 79
Crystal, energy sub-bands in the polar model of a – **4,** 1
Crystal potential, influence of anisotropy of the, on the band structure of titanium and nickel **5,** 184
Crystalline states, magneto-optical spectra of ferromagnetic alloys with amorphous and – **5,** 91
Crystallization point, on the initial stages of decomposition of the amorphous state of alloys CeFe(SiB) during annealing treatment at temperatures below the – **3,** 186
Crystallographic features of the rupture of molybdebum single crystals tested in tension along the [001] axis **1,** 163
Crystallography of dislocation inheritance during the martensitic transformations which are described by non-iniform lattice deformation **4,** 15
Crystals with percolation second-order phase transitions. Ordered regions near macroscopic defects in – **6,** 7
– , X-ray scattering by deformed – **3,** 11

De Haas–van Alphen effect in an electron fluid. The low-temperature adiabatic – **5,** 63
Decomposition in ordered alloys with a periodic antiphase domain structure. Study of – **6,** 123
– of alloy Co–9 at. % Ti. Investigation of kinetic features of the – **1,** 128
– of the amorphous state of alloys CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of – **3,** 185
– of the solid solution in Fe–Cr–Co–Mo maraging alloys. Phase transformations during high-temperature austenitization and – **3,** 137
Defects, description of the one-dimensional flow of configurations of a domain wall moving in a random field of point – **2,** 1
Deformation, crystallography of dislocation inheritance during the martensite transformations which are described by non-uniform lattice – **4,** 15

– , influence of type of, and of dislocation structure of silicon iron in the range 20–500° C **6,** 134
– interaction of atoms in interstitial solutions. Static displacement and – **2,** 160
– , mechanical twinning of the h.c.p. ε phase of Fe–Mn alloys during plastic – **2,** 148
– of austenite, influence of the high-temperature – on the structure and ageing kinetics of maraging steel N12K7M5TYu **5,** 129
– of magnesium alloy. Role of diffusion creep during superplastic – **6,** 144
– , influence of ageing and plastic – on the structure and mechanical properties of alloy Ni15Kh5G3T3 with metastable austenite **2,** 129
– , influence of plastic – on the suscebtibility of zircenium **2,** 170
– , relation between the precipitation of secondary phases and the – and rupture of heat-resistant steels during creep **1,** 74
Density of electronic states. Nuclear magnetic resonance and susceptibility of V_2(Hf, Zr) compounds. – **3,** 91
Diffraction of X-rays by single crystals of ageing alloys AlZn after hydrostatic compression **5,** 182
Diffusion in metals and alloys with an f.c.c. lattice. Continuous approximation of the theory of interstitial – **3,** 34
– in nickel–aluminium alloys. Influence of silicon on – **5,** 138
– , mutual, in the system Ti–Ni–Co **5,** 178
– , solubility and residual resistivity of sulphur in nickel **2,** 113
Diffusion creep during superplastic deformation of magnesium alloy. Role of – **6,** 144
Diffusion zone, point traps in a – **2,** 183
Dislocation anharmonism of plastically deformed metals. Rayleigh wave investigation of the **1,** 155
– assemblages and differences in the elastic moduli of the phases. Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of – **1,** 87
– density during creep of nickel. Dynamics of the variation of – **3,** 180
– inheritance during the martensitic transformations which are described by non-uniform lattice deformation. Crystallography of – **4,** 15
– structure of silicon iron in the range 20–500° C. Influence of type of deformation and of – **6,** 134
Dislocations, contribution of basal – to the residual resistivity of zinc single crystals **3,** 164
Disclination, dislocation and – kinetics and the formation of a fragmented structure **4,** 32
Disclinations, kinetics of dislocations and – **1,** 47
Domain boundaries, coercive force of a single crystal with narrow – **1,** 64
Domain boundary time lag during the remagnetization of magnetically uniaxial high-anisotropy ferromagnets **5,** 191
Domain structure in films with perpendicular anisotropy. On the theory of the stripe – **3,** 51
– of single crystals of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the dynamic behaviour of the – **4,** 76
– , study of decomposition in ordered alloys with a periodic antiphase – **6,** 123
Domain structure formation during isothermal tempering of a quenched alloy NiPt. Ordering kinetics and mechanism of – **2,** 121

Domain wall moving in a random field of point defects. Description of the one-dimensional flow of configurations of a – **2,** 1
– Influence of the form of the random potential of a – on magnetic hysteresis. I. Highly localized centres of pinning **3,** 1
– Influence of the form of random potentials of – on the magnetic hysteresis. II. Pinning by defects with a finite radius of interaction **5,** 43
Domain wall migration in thin films. On the nature of the coercive force of – **1,** 69
Domain walls of bubble plates inhomogeneous in depth. Static and dynamic properties of the – **3,** 59
Domain boundaries, local coercivity of – **4,** 57
Domains, formation of lattices of cylindrical magnetic – from stripe – **4,** 188
– , internal magnetic, not emerging to the surface, in unevenly thick magnetically uniaxial plates **6,** 37
Dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the – **4,** 76
Dynamics, macroscopic equations of magnet – . III. *s-d* model in a variable magnetic field **2,** 20
– of the variation of dislocation density during creep of nickel **3,** 180
Displacements, static, and deformation interaction of atoms in interstitial solutions **2,** 160

***ΔE* effect,** behaviour of the magnetization during flexural vibrations, and its interrelation with the – **2,** 66
Elastic constants of manganese–copper alloys **4,** 182
Elastic moduli of the plates. Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of dislocation assemblages and differences in the – **1,** 87
Electrical properties of monocrystalline films of lead at 4·2 K. Hetero-epitaxial growth, structure defects and – **5,** 108
Electromagnetic losses and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction **4,** 76
Electromotive forces in Fe–Ni alloys during the $\gamma \rightarrow \alpha$ transformation. Appearance of – **5,** 172
Electron currents, on the paramagnetic excitation of acoustic waves in the presence of – **4,** 8
Electron density profile, influence of a non-uniform – on the plasmon frequency in one-dimensional metals – **2,** 194
Electron fluid, the low-temperature adiabatic de Haas–van Alphen effect in an – **5,** 63
Electron microscopic analysis of the microstructure of steel OKh16N15M3B after creep testing in reacter BR-10 **6,** 154
Electron–phonon interaction, influence of positron– and – on positron trapping by the defects of a metal **6,** 16
Electronic states and calculation of the magnetic parameters of iron–nickel alloys with chromium. Model of the density of – **6,** 31
– , nuclear magnetic resonance and susceptibility of V_2(Hf, Zr) compounds. Density of – **3,** 91
Elinvars, structural features and magnetic properties of Fe–Ni–Cr – **1,** 110
Epitaxy, structure and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite **4,** 111

Failure of polycrystalline iron in a single operation of loading. Some peculiarities of the – **1,** 145
Fast-neutron activity, investigation of oxygen distribution in niobium single crystals by the method of – **3,** 130
F.c.c. lattice, continuous approximation of the theory of interstitial diffusion in metals and alloys with an – **3,** 34
F.c.c. metals, yield point in some – at 4·2 K **1,** 141
Fermi surface of titanium monoxide **1,** 53
– of vanadium monoxide **3,** 169
Ferrite in pearlite relative to austentite. On the orientation of – **4,** 190
Ferrite grains, nucleation of – during polymorphic transformation **1,** 105
Ferromagnetic inclusions, small, in copper–manganese–aluminium alloys **4,** 41
Ferromagnetic particles in Cu–Ni–Co alloys. Magnetic properties of the system of dispersed – **2,** 187
Ferromagnetic specimen, instantaneous internal friction as a function of the oscillation phase of a – **2,** 59
Ferromagnetism in ordered Pt–Fe alloys. On the transition from antiferromagnetism to – **3,** 76
Ferromagnets, some peculiarities of the high-frequency properties of weak – and antiferromagnets **1,** 193
– , domain boundary time lag during the remagnetization of magnetically uniaxial high-anisotropy – **5,** 191
– , the magnon spectrum and magnetoacoustic resonance in conductive – **1,** 15
– with strong magnetoelastic interaction. Invar anomalies and the properties of – **5,** 73
– with anisotropy of the easy plane type. On the theory of weak uniaxial – **5,** 53
Field ion microscopy of structure transformations in platinum–indium alloys **1,** 121
Films, Gd–Co, amorphous, investigation of the temperature stability of – **6,** 119
– , ferromagnetic, surface and volume magnetoelastic waves in perpendicularly magnetized – **6,** 21
– , $Fe_{0\cdot5}Co_{0\cdot5-x}Cr_x$, crystal and magnetic structure of – **6,** 68
– , thin, on the nature of coercive force of domain wall migration in – **1,** 69
– , two-layer, of Permalloy Me(Cu, Al). Magnetic anisotropy in – **3,** 41
– , thin magnetic, where there is a lattice of bubble domains. Resonance properties of – **1,** 187
– with perpendicular anisotropy. On the theory of the stripe domain structure in – **3,** 51
Fluorophlogopite, the epitaxy, structure and superconductive properties of thin niobium films on a (001) surface of – **4,** 111
Free electron gas of a metal. Polar states and the – **5,** 22
Friction, internal, grain boundary – in recrystallizing aluminium **2,** 203
– , internal, instantaneous – as a function of the oscillation phase of a ferromagnetic specimen **2,** 59
– , internal, in the range 20°C to T_m inclusive. Study of the Young's modulus and – **5,** 150
– , internal, in titanium nickelide. Investigation of – **5,** 111
Friction surface of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the – **1,** 94

Gallium, electronic properties of metastable β – **2,** 72
Galvanomagnetic effects in natural weakly ferromagnetic hematite. Anisotropy of transverse even – **1,** 29
Gas phase, variation of dislocation structure according to the texture in tungsten deposited from the – **3,** 115
Grain boundary, dependence of the rate of non-activated motion of a – on its orientation **5,** 102
– internal friction in recrystallizing aluminium **2,** 203
Grain growth in nickel alloys. Recrystallization and – **4,** 145
Grains, crack formation on the boundary of – and twins in zinc cooled to low temperature **2,** 167
Graphite, the role of high-angle boundaries in the formation of spheroidal – **4,** 131
Growth, hetero-epitaxial, structure defects and electrical properties of monocrystalline films of lead at 4·2 K **5,** 108

Hall effect in alloys FeCo, FeNi and CoNi. Residual coefficient of the anomalous – **4,** 68
Hardness of the martensite in Fe–Zn alloys. Structure and – **2,** 166
H.c.p. phase of Fe–Mn alloys during plastic deformation. Mechanical twinning of the – **2,** 148
Heat, influence of, and radiation treatment of austenite on the martensitic transformation in Fe–Ni alloys **3,** 100
– of formation of binary alloys. Influence of short-range order on the – **4,** 185
Heating of quenched carbon steels. On recovery of the austenite grain during rapid – **3,** 200
– of a complex titanium alloy. Structural changes during the – **6,** 159
Heavy ions, influence of the concentration of pre-injected helium and the temperature of that operation on the concentration of voids in a metal irradiated with – **3,** 175
Helium, influence of the concentration of pre-injected – and the temperature of that operation on the concentration of voids in a metal irradiated with heavy ions **3,** 175
Hematite, anisotropy of transverse even galvanomagnetic effects in natural weakly ferromagnetic – **1,** 29
High-angle boundaries, the role of – in the formation of spheroidal graphite **4,** 131
Holmium and holmium–samarium alloys. Magnetic phase transitions in – **1,** 58
Hydrogen, influence of solute – on the mechanical properties of palladium **4,** 173
– , interaction of, with aluminium. Influence of surface reactions on the rate of – **3,** 144
– in the structure of a quenched steel. Internal microstresses and the local distribution of – **1,** 101
Hydrogen atmosphere, peculiar features in the rupture of steel Kh18N10T during low-cycle fatigue testing in – **3,** 191
Hydrogen solubility in metals during melting. Concerning the discontinuity of – **2,** 197
Hydrostatic compression, diffraction of X-rays by single crystals of ageing alloys AlZn after – **5,** 182
Hysteresis, magnetic, in rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$. Magnetic properties, phase transitions and – **6,** 104
– , magnetoelastic, in alloys of iron with terbium **2,** 55

Indium, pseudopotential calculation of the lattice dynamics of – **6,** 1
Induction, electromagnetic losses and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of – **4,** 76

Interaction, influence of positron- and electron–phonon – on positron trapping by the defects of a metal **6,** 16
Interaction parameters from experimental diagrams. Computer calculation of the constitution diagrams of certain binary alloys with determination of – **5,** 96
Intermetallic compounds $(Tb_{1-x}Gd_x)_3$ Co. Magnetic properties, phase transitions and magnetic hysteresis in rare-earth – **6,** 104
Invar films, peculiarities of the hyperfine magnetic structure of – **4,** 46
Invar type in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$. Magnetic anomalies of the – **6,** 173
Ion-ion emission in iron–nitrogen alloys. Influence of phase transformations on secondary – **2,** 173
Iron and Fe–Cr alloys. X-ray diffraction investigation of phase transformations in – **1,** 82
– , influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on creep of polycrystalline – **5,** 162
– in a single operation of loading. Some peculiarities of the failure of polycrystalline – **1,** 145
– , twinning in, experiencing a phase shock wave **6,** 171
Iron atoms, ordering of, in Fe–Mn–Al alloys isostructural with β-Mn **6,** 177
Iron impurity states, non-magnetic localized, in titanium–niobium–zirconium alloys **2,** 39

Kinetic features of the decomposition of alloy Co–9 at.% Ti. Investigation of – **1,** 128
Kinetic properties of alloys $Ga_{1-x}Mn_xSb$ in the range 80–1000°K. Investigation of the – **5,** 166
Kinetics and resistance of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening – **1,** 94
– , dislocation and disclination – and the formation of a fragmented structure **4,** 32
– , influence of annealing on the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation – **4,** 86
– of dislocations and disclinations **1,** 47
– , ordering, and mechanism of domain structure formation during isothermal tempering at a quenched alloy NiPt **2,** 121

Lattice, relation between the structure parameters and critical brittle point of polycrystalline metals with a b.c.c. – **2,** 79
Lattice dynamics of indium. Pseudopotential calculation of the – **6,** 1
Lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$. Neutron diffraction investigation of the distribution of cobalt and nickel atoms over the crystal – **3,** 120
Lattices of cubic structures. Symmetry of the coincident site – **4,** 24
– of cylindrical magnetic domains from stripe domains. Formation of – **4,** 188
Lead, hetero-epitaxial growth, structure defects and electrical properties of monocrystalline films of – at 4·2 K **5,** 108
– , influence of the size factor on the softening of – in the superconductive state **5,** 143
Linear response, approximate method of calculating – **4,** 196
Lead, variations of wedge-shaped twins in bismuth crystals held under – for a long time **2,** 201

Load–elongation curves of single crystals of alloy KhN77TYuR. Influence of high-temperature thermomechanical treatment of the – **2,** 153
Loading, some peculiarities of the failure of polycrystalline iron in a single operation of – **1,** 145
Local coercivity of domain boundaries **4,** 57
Low-cycle fatigue testing in hydrogen atmosphere. Peculiar features in the rupture of steel Kh18N10T during – **3,** 191

Macroscopic defects in crystals with percolation second-order phase transitions. Ordered regions near – **6,** 7
Macroscopic equations of magnet dynamics. III. *s–d* model in a variable magnetic field **2,** 20
Magnetic anisotropy in two-layer films of Permalloy – Me(Cu, Al) **3,** 41
– of alloys, influence of local symmetry on the – **6,** 78
Magnetic anomalies of the Invar type in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$ **6,** 173
Magnetic field, *s–d* model in a variable – . Macroscopic equations of magnet dynamics. III. – **2,** 20
Magnetic fields, magnetic properties in iron–nickel–chromium alloys in weak – **3,** 203
Magnetic films, resonance fields of multi- and unilayer – **1,** 190
Magnetic hysteresis, influence of the form of the random potential of a domain wall on – . I. Highly localized centres of pinning **3,** 1
– , influence of the form of random potential of a domain wall on the – . II. Pinning by defects with a finite radius of interaction **5,** 43
Magnetic ordering in superconductive rare-earth compounds **5,** 1
Magnetic parameters of iron–nickel alloys with chromium. Model of the density of electronic states and calculation of the – **6,** 31
Magnetic phase transitions, construction of an integral rational basis of invariants for structure and – **2,** 10
– in holmium and holmium–samarium alloys **1,** 58
Magnetic properties of $Fe_{1-\delta}Sb$. Influence of non-stoichiometry on the – **3,** 72
– of Fe–Co–Ni Perminvars in the magnetic anisotropy range. Peculiar features of the – **5,** 78
– of Fe–Ni–Cr Elinvars. Structural features and – **1,** 100
– of iron–nickel–chromium alloys in weak magnetic fields **3,** 203
– of MnB_2. Magnetoresistance and the – **6,** 89
– of solid solutions of system $Er_xA_{1-x}Fe_2$(A – Sc, Y, Lu). Some of the – **3,** 189
– , phase transitions and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$ **6,** 104
Magnetic susceptibility of plastically deformed tungsten and molybdenum **6,** 64
– of solid solutions $Gd_xLa_{1-x}B_6$ and $Gd_xEu_{1-x}B_6$ **5,** 169
– of steels Kh18N (10–25) in the range 4·2–300 K **2,** 50
Magnetic waves, parametric amplification of – in spin glass by elastic pumping **3,** 24
Magnetization during flexural vibrations, and its interrelation with the ΔE effect. Behaviour of the – **2,** 66
– of monocrystalline terbium in the antiferromagnetic state **2,** 44
– of Permalloy alloys in the presence of impurity atoms. Temperature behaviour of the – **6,** 73

Magnetoelastic interaction, Invar anomalies and the properties of ferromagnets with strong – **5,** 73
Magneto-optical spectra of ferromagnetic alloys with amorphous and crystalline states **5,** 91
Magnetoresistance and the magnetic properties of MnB_2 **6,** 89
– of Dy–Sm alloys **6,** 58
Magnon spectrum and magnetoacoustic resistance in conductive ferromagnets **1,** 15
Magnetoacoustic resonance in conductive ferromagnets. The magnon spectrum and – **1,** 15
Magnetoelastic waves, surface and volume – in perpendicularly magnetized ferromagnetic films **6,** 21
Magnets, coercive force and phase composition of sintered – of Sm_2Co_7 **5,** 194
Martensite, influence of deformation temperature on the crystal structure of – **2,** 100
– , structure and hardness of the – in Fe–Zn alloys **2,** 166
Martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics. Influence of annealing on the austenite structure and – **4,** 86
– in Fe–Ni alloys. Influence of heat and radiation treatment of austenite on the – **3,** 100
Martensitic transformations, crystallography of dislocation inheritance during the – which are described by non-uniform lattice deformation **4,** 15
Mechanical properties of dilute nickel solid solutions **1,** 133
– of palladium. Influence of solute hydrogen on the – **4,** 173
Melting, concerning the discontinuity of hydrogen solubility in metals during – **2,** 197
Metal, contribution of plane defects to the resistivity of a – **1,** 22
– , influence of positron– and electron–phonon interaction on positron trapping by the defects of a – **6,** 16
– irradiated with heavy ions. Influence of the concentration of the pre-injected helium and the temperature of that operation on the concentration of voids in a – **3,** 175
– , polar states and the free electron gas of a – **5,** 22
Metal films, the transverse electric quantum wave spectrum in thin – **5,** 57
Metallic system, investigation of the structure and thermodynamic parameters of a model – **1,** 7
Metals and alloys with an f.c.c. lattice. Continuous approximation of the theory of interstitial diffusion in – **3,** 34
– , concerning the discontinuity of hydrogen solubility in – during melting **2,** 197
– , influence of a non-uniform electron density profile on the plasmon frequency in one-dimensional – **2,** 194
– , investigation of the influence of temperature on the X-ray emission *L*-spectra of some transition 4*d* – **4,** 51
– , mechanism of vacancy loop formation in irradiated – **3,** 160
– , Rayleigh wave investigation of the dislocation anharmonism of plasically deformed – **1,** 155
– , relation between the structure parameters and critical brittle point of polycrystalline – with a b.c.c. lattice **2,** 79
– , statistical orientational model of textured specimens of – with uniaxial symmetry **4,** 104
Microstresses, internal, and the local distribution of hydrogen in the structure of a quenched steel **1,** 101

Microstructure, influence of phosphorus grain boundary segregations and – on the brittle failure of steel 35G2 after quenching and medium annealing **4,** 123
– of steel OKh16N15M3B after creep testing in reactor BR-10. Electron microscopic analysis of the – **6,** 154
Microvoids formed during creep. Peculiarities of the annealing of – **2,** 105
Model of perfect solutions, the possibilities of using the – for calculating the equilibrium composition and solubility of complex carbonitrides in steel **2,** 177
Molybdenum, diffuse X-ray scattering by neutron irradiated – **6,** 113
– , magnetic susceptibility of plastically deformed tungsten and – **6,** 64
Molybdenum single crystals tested in tension along the [001] axis. Crystallographic features of the rupture of – **1,** 163
Motion of a grain boundary, dependence of the rate of non–activated – on its orientation **5,** 102

Neutron diffraction investigation of the distribution of cobalt and nickel atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
Neutron irradiated molybdenum, diffuse X-ray scattering by – **6,** 133
Neutron scattering, low-temperature critical – in iron–nickel and nickel–manganese alloys **2,** 190
Nickel, diffusion, solubility and residual resistivity of sulphur in – **2,** 113
– , dynamics of the variation of dislocation density during creep of – **3,** 180
– , influence of anisotropy of the crystal potential on the band structure of titanium and – **5,** 184
– , neutron diffraction investigation of the distribution of cobalt and – atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
– solid solutions. Mechanical properties of dilute – **1,** 133
Niobium films, the epitaxy, structure and superconductive properties of thin – on a (001) surface of fluorophlogopite **4,** 111
Niobium single crystals, investigation of oxygen distribution in – by the method of fast-neutron activity **3,** 130
Non-stoichiometry, influence of – on the magnetic properties of $Fe_{1-\delta}Sb$ **3,** 72
Nuclear gamma resonance study of the tempering transformations of steel **3,** 173
Nuclear magnetic resonance and susceptibility of V_2(Hf, Zr) compounds. Density of electronic states **3,** 91
– in alloys $V_{2-x}Nb_xHf$ **6,** 94
Nucleation of ferrite grains during polymorphic transformation **1,** 105
Nucleation conditions, role of, in the formation of an oxide phase internal oxidation of molybdenum alloys **4,** 96

One-dimensional flow of configurations of a domain wall moving in a random field of point defects. Description of – **2,** 1
Optical properties of alloy V_3Si. Investigation of the – **6,** 167
Order, influence of short-range – on the heat of formation of binary alloys **4,** 185
Ordered alloys with a periodic antiphase domain structure. Study of decomposition in – **6,** 123

Ordered regions near macroscopic defects in crystals with percolation second-order phase transitions **6,** 7
Ordering in alloy Co–Pt and the influence of magnetic annealing. Structural features of the initial stages of – **4,** 140
– in vanadium carbonitrides **1,** 181
– of iron atoms in Fe–Mn–Al alloys isostructural with β-Mn **6,** 177
Oscillation phase of a ferromagnetic specimen. Instantaneous internal friction as a function of the – **2,** 59
Oxidation of molybdenum alloys. Role of nucleation conditions in the formation of an oxide phase internal – **4,** 96
Oxygen distribution, investigation of, in niobium single crystals by the method of fast-neutron activity **3,** 130

Palladium, influence of solute hydrogen on the mechanical properties of – **4,** 173
Paramagnetic excitation, on the, of acoustic waves in the presence of electron currents **4,** 8
Pearlite, on the orientation of ferrite in – relative to austenite **4,** 190
Percolation, ordered regions near macroscopic defects in crystals with – second-order phase transitions **6,** 7
Permalloy – Me (Cu, Al), magnetic anisotropy in two-layer films of – **3,** 41
Permalloy alloys, temperature behaviour of the magnetization of – in the presence of impurity atoms **6,** 73
Perminvars, peculiar features of the magnetic properties of Fe–Co–Ni – in the magnetic anisotropy range **5,** 78
γ' phase, concerning the influence of the – on the temperature dependence of the work of rupture of heat-resistant alloy KhN35VTYu **4,** 179
Phase equilibria and the superconductive properties of niobium–tin–copper alloys **1,** 170
Phase structure on quenched and aged copper–tin and copper–tin–aluminium alloys **1,** 174
Phase transformations during high-temperature austenitization and the decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys **3,** 137
– , high pressure, in thallium **2,** 196
– in Fe–Cr–Mn steels. Investigation of – **1,** 178
– in iron and Fe–Cr alloys. X-ray diffraction investigation of – **1,** 82
– , influence of, on secondary ion-ion emission in iron–nitrogen alloys **2,** 173
Phase transitions and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$. Magnetic properties, – **6,** 104
– in ferroelectric antiferromagnets **6,** 150
– , ordered regions near macroscopic defects in crystals with percolation second-order – **6,** 7
Phase V_3Ga in composite V/Cu–Ga. On the formation mechanism of the – **5,** 122
Phases, concerning the, in the system samarium–copper **1,** 185
Phosphorus grain boundary segregations and microstructure on the brittle failure of steel 35G2 after quenching and medium annealing. Influence of – **4,** 123
Pinning, highly localized centres of – . Influence of the form of the random potential of a domain wall of magnetic hysteresis. I. – **3,** 1
– by defects with a finite radius of interaction. Influence of the form of random potential of a domain wall on the magnetic hysteresis. II. – **5,** 43

Plane defects, contribution of, to the resistivity of a metal **1,** 22
Plasmon frequency in one-dimensional metals. Influence of a non-uniform electron density profile on the – **2,** 194
Plastic deformation, feature of the influence of ageing and – on the structure of an Al–Zn–Mg alloy **4,** 159
Plastic loosening of a metal and the healing of strain-induced defects during annealing. Investigation of the – **2,** 143
Plates, internal magnetic domains, not emerging to the surface, in unevenly thick magnetically uniaxial – **6,** 37
Point traps in a diffusion zone **2,** 183
Polar states and the free electron gas of a metal **5,** 22
Polar model of a crystal. Energy sub-bands in the – **4,** 1
Polygonization and recrystallization of deformed tungsten. Influence of the structure of surface layers on the – **5,** 117
Positron– and electron–phonon interaction on positron trapping by the defects of a metal. Influence of – **6,** 16
Precipitation, relation between the, of secondary phases and the deformation and rupture of heat-resistant steels during creep **1,** 74
Properties, elastic, in iron–chromium–cobalt alloys. Anisotropy of the – **5,** 189
– , electrical and thermoelectrical, of binary metallic alloys. On the – **4,** 193
– , electronic, of metastable β gallium **2,** 72
– , high-frequency, of weak ferromagnets and antiferromagnets. Some peculiarities of the – **1,** 193
– , low-temperature elastic, of solid solutions $V_3Si_{1-x}Ge_x$ **2,** 138
– , magnetic, of alloys with a critical concentration and Invar anomalies **2,** 32
– , magnetic, of the system of dispersed ferromagnetic particles in Cu–Ni–Co alloys **2,** 187
– , mechanical, of alloy N15Kh5G3T3 with metastable autenite. Influence of ageing and plastic deformation on the structure and – **2,** 129
– , static and dynamic, of the domain walls of bubble plates inhomogeneous in depth **3,** 59
– , superconductive, of niobium–tin–copper alloys. Phase equilibria and the – **1,** 170
– , superconductive, of thin niobium films on a (001) surface of fluorophlogopite. The epitaxy, structure and – **4,** 111
Pseudopotential approximation, and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of short-range order parameters in any coordination sphere in the – **1,** 40
Pumping, paramagnetic amplification of magnetic waves in spin glass by elastic – **3,** 24

Quenched state, influence of austenite stability on the impact toughness of some austenitic steel. I. The – **4,** 152
Quenching and medium tempering. Influence of phosphorus grain boundary segregations and the microstructure on the brittle failure of steel 35G2 after – **4,** 123

Radiation treatment of austenite on the martensitic transformation in Fe–Ni alloys. Influence of heat and – 3, 100

Random potential of a domain wall on magnetic hysteresis. Influence of the form of the – . I. Highly localized centres of pinning **3,** 1
– of a domain wall on magnetic hysteresis. Influence of the form of the – . II. Pinning by defects with a finite radius of interaction **5,** 43
Rayleigh wave investigation of the dislocation anharmonism of plastically deformed metals **1,** 155
Recrystallization and grain growth in nickel alloys **4,** 145
– of deformed tungsten. Influence of the structure of surface layers in the polygonization and – **5,** 117
– , secondary, in iron–nickel alloys. Peculiarities of – **2,** 86
Recrystallization processes, influence of, on the behaviour of dispersed inclusions in alloy Fe–3% Si **3,** 125
Remagnetization of magnetically uniaxial high-anisotropy ferromagnets. Domain boundary lime lag during the – **5,** 191
Resistance of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and – **1,** 94
– to the motion of edge superdislocations. Temperature dependence of – **4,** 167
Resistivity of a metal. Contribution of plane defects to the – **1,** 22
– of sulphur in nickel. Diffusion, solubility and residual – **2,** 113
Resonance fields of multi- and unilayer magnetic films **1,** 190
Resonance properties of thin magnetic films where there as a lattice of bubbled omains **1,** 187
Rhenium electro-depisited from fused salts. ($\bar{1}01$ *l*) texture of – **6,** 163
Rupture of heat-resistant alloy KhN35VTYu. Concerning the influence of the γ' phase on the temperature dependence of the work of – **4,** 179
– of heat-resistant steels during creep. Relation between the precipitation of secondary phases anf the deformation and – **1,** 74
– of molybdenum single crystals tested in tension along the [001] axis. Crystallographic features of the – **1,** 163
– of steel Kh18N10T during low-cycle fatigue testing in hydrogen atmosphere. Peculiar features in the – **3,** 191
– under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistivity of the friction surface of austenitic steels to – **1,** 94

Salts, ($\bar{1}01$ *l*) texture of rhenium electro-deposited from fused – **6,** 163
Samarium–copper, concerning the phases in the system – **1,** 185
Shock wave, twinning in iron experiencing a plane – **6,** 171
Short-range order in alloys $Pd_{1-x}W_x$ **3,** 184
– , influence of, on the ordering of alloy A–B–(C) **5,** 85
Short-range order parameters in any coordination sphere in the pseudopotential approximation, and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of – **1,** 40
Silicon, influence of, on diffusion in nickel–aluminium alloys **5,** 138
Silicon iron, influence of type of deformation and of dislocation structure of – in the range 20–500°C **6,** 134

Single crystal with narrow domain boundaries. Coercive force of a – **1,** 64
Single crystals, controlling the composition of bismuth-based – by the method of charge transfer **2,** 181
– of alloy KhN77TYuR. Influence of high-temperature thermomechanical treatment on the load-elongation curves of – **2,** 153
– of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the dynamic behaviour of the domain structure of – **4,** 76
Softening of lead in the superconductive state. Influence of the size factor on the – **5,** 143
Solid solutions $Gd_xLa_{1-x}B_6$ and $Gd_xEu_{1-x}B_6$. Magnetic susceptibility of – **5,** 169
– $V_3Si_{1-x}Ge_x$, low-temperature elastic properties of – **2,** 138
– of system $Er_xA_{1-x}Fe_2$(A – Sc, Y, Lu). Some of the magnetic properties of – **3,** 189
Solubility, diffusion, and residual resistivity of sulphur in nickel **2,** 113
Solutions, interstitial, static displacement and deformation interaction of atoms in – **2,** 160
Spin glass, parametric amplification of magnetic waves in – by elastic pumping **3,** 24
Split configuration, dynamics of a b.c.c. lattice containing an interstitial atom in a – **5,** 38
Steel, austenitic, influence of austenite stability on the impact toughness of some – . I. The quenched state **4,** 152
– , engineering, prestressed in tension. Influence of compression on the structural changes of low- and high-tempered – **3,** 109
– 33G2, influence of phosphorus grain boundary segregations and the macrostructure on the brittle failure of – after quenching and medium tempering **4,** 123
– Kh18N10T, peculiar features in the rupture of – during low-cycle fatigue testing in hydrogen atmosphere **3,** 191
– N12K7M5TYu, influence of the high-temperature deformation of austenite on the structure and ageing kinetics of maraging – **5,** 129
– OKh16N15M3B, electron microscopic analysis of the microstructure of – after creep testing in reactor BR-10 **6,** 154
– , nuclear gamma resonance study of the tempering transformations of – **3,** 173
– , patented, influence of tempering on the structure and properties of – **1,** 115
– , quenched, internal microstresses and the local distribution of hydrogen in the structure of a – **1,** 101
– , suppression of the bainite trnasformation in – **3,** 197
– , the possibilities of using the model of perfect solutions for calculating the equilibirum composition and solubility of complex carbonitrides in – **2,** 177
Steels, austenitic, influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the friction surface of – to rupture under conditions of wear involving multiple strains **1,** 94
– , Fe–Cr–Mn, investigation of phase transformations in – **1,** 178
– , heat-resistant, relation between the precipitation of secondary phases and the deformation and rupture of – during creep **1,** 74
– Kh18N (10–25), magnetic susceptibility of – in the range 4·2–300 K **2,** 50
– , quenched carbon, on recovery of the austenite grain during rapid heating of – **3,** 200
Strain-induced defects during annealing. Investigation of the plastic loosening of a metal and the healing of – **2,** 143
Strengthening, recovery and structural changes during creep of alloys Cu+10 at. % Ni **5,** 156
Stress, formation of a coherent phase on – raisers. The influence of the dissociation of

dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases **1,** 87
Stresses in components during martensitic transformation **6,** 156
– , the development of a substructure and internal – during creep **6,** 129
Structural changes during creep of alloys Cu+10 at.% Ni. Strengthening, recovery and – **5,** 156
– during the heating of a complex titanium alloy **6,** 159
– of low- and high-tempered engineering steel prestressed in tension. Influence of compression on the – **3,** 109
Structural features and magnetic properties of Fe–Ni–Cr Elinvars **1,** 110
– of the initial stages of ordering in alloy Co–Pt and the influence of magnetic annealing **4,** 140
Structure and ageing kinetics of maraging steel N12K7M5TYu. Influence of the high-temperature deformation of austenite on the – **5,** 129
– and hardness of the martensite in Fe–Zn alloys **2,** 166
– and magnetic phase transitions. Constitution of an integral rational basis of invariant for – **2,** 10
– and thermodynamic parameters of a model metallic system. Investigation of the – **1,** 7
– , crystal, of martensite. Influence of deformation temperature on the – **2,** 100
– , crystal and magnetic, of $Fe_{0\cdot5}Co_{0\cdot5-x}Cr_x$ films **6,** 68
– , fragmented, dislocation and disclination kinetics and the formation of a – **4,** 32
– , variation of dislocation – according to the texture in tungsten deposited from the gas phase **3,** 115
– , hyperfine magnetic, of Invar films. Peculiarities of the – **4,** 46
– , the epitaxy, – and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite **4,** 111
Structure defects and electrical properties of monocrystalline films of lead at 4·2 K. Hetero-epitaxial growth, – **5,** 108
Structure parameters, relation between the – and critical brittle point of polycrystalline metals with a b.c.c. lattice **2,** 79
Substructure and internal stresses during creep. The development of a – **6,** 129
Sulphur, diffusion, solubility and residual resistivity of – in nickel **2,** 113
Superconductive state, influence of the size factor on the softening of lead in the – **5,** 143
Superdislocations, temperature dependence of resistance to the motion of edge – **4,** 167
Surface, behaviour of wedge disclination near a – **1,** 1
Surface layers, influence of the structure of – on the polygonization and recrystallization of deformed tungsten **5,** 117
Surface reactions, influence of, on the rate of of interaction of hydrogen with aluminium **3,** 144

Temperature, influence of deformation – on the crystal structure of martensite **2,** 100
– , influence of experimental – on the work hardening of mono- and polycrystalline alloy Ni_3Fe **3,** 152
Temperature dependence, concerning the influence of the phase on the – of the work of rupture of heat-resistant alloy KhN35VTYu **4,** 179
– of resistance to the motion of edge superdislocations **4,** 167
Temperature stability of amorphous Gd–Co films. Investigation of the – **6,** 119

Tempering, influence of, on the structure and properties of patented steel **1,** 115
– , influence of phosphorus grain boundary segregations and the microstructure on the brittle failure of steel 35G2 after quenching and medium – **4,** 123
– , isothermal, of a quenched alloy NiPt. Ordering kinetics and mechanism of domain structure formation during – **2,** 121
Tension along the [001] axis. Crystallographic features of the rupture of molybdenum single crystals tested in – **1,** 163
Terbium, monocrystalline, magnetization of – in the antiferromagnetic state **2,** 44
Texture in tungsten deposited from the gas phase. Variations of dislocation structure according to the – **3,** 115
– , ($\bar{1}01\ l$), of rhenium electro-deposited from fused salts **6,** 163
Textured specimens of metals with uniaxial symmetry. Statistical orientational model of – **4,** 104
Thallium, high-pressure phase transformations in – **2,** 196
Thermo e.m.f. of alloys PdFe, PdCo and PdNi **6,** 50
Thermodynamic parameters of a model metallic system. Investigation of the structure and – **1,** 7
Thermomechanical treatment of the load–elongation curves of single crystals of alloy Kh77TYuR. Influence of high-temperature – **2,** 153
Titanium, influence of anistotropy of the crystal potential of the band structure of – and nickel **5,** 184
Titanium monoxide, the Fermi surface of – **1,** 53
Titanium nickelide, investigation of internal friction in – **5,** 111
– , martensite–martensite transformation in – **4,** 118
Transformation, $\gamma \rightarrow \alpha$, appearance of electromotive force in Fe–Ni alloys during the – **5,** 172
– , $\alpha \rightleftarrows \gamma$, influence of the direction of – on creep of polycrystalline iron **5,** 162
– , martensite–martensite, in titanium nickelide **4,** 118
– , martensitic, stresses in compounds during – **6,** 156
– , martensitic $\gamma \rightarrow \alpha$, influence of the – on the strengthening kinetics and resistance of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains **1,** 94
– , polymorphic, nucleation of ferrite grains during – **1,** 105
Transformations, structure, in platinium–iridium alloys. Field ion microscopy of – **1,** 121
– , tempering, of steel. Nuclear gamma resonance study of the – **3,** 173
Transition, on the, from aniferromagnetism to ferromagnetism in ordered Pt–Fe alloys **3,** 76
Transition point, discontinuity of the limiting velocities at the Bloch–Neel domain wall – **3,** 194
Transitions, magnetic phase, construction of an integral rational basis of invariants for structure and – **2,** 10
Transverse electric quantum wave spectrum in thin metal films **5,** 57
Trapping, influence of positron– and electron–phonon interaction on positron – by the defects of a metal **6,** 16
Tungsten, influence of the structure of surface layers on the polygonization and recrystallization of deformed – **5,** 117
– , magnetic susceptibility of plastically deformed – and molybdenum **6,** 64
– , variations of dislocation structure according to the texture in – deposited from the gas phase **3,** 115

Twinning in iron experiencing a plane shock wave **6,** 171
– , mechanical, of the h.c.p. ε phase of Fe–Mn alloys during plastic deformation **2,** 148
Twins, wedge-shaped, in bismuth crystals held under load for a long time. Variations of – **2,** 201

Vanadium carbonitrides, concerning ordering in – **1,** 181
Vanadium monoxide, Fermi surface of – **3,** 169
Vibrations, flexural, behaviour of the magnetization during – , and its interrelation with the ΔE effect **2,** 66
Vacancy loop formation in irradiated metals. Mechanism of – **3,** 160

Wear, influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the friction surface of austenitic steels to rupture under conditions of – involving multiple stages **1,** 94
Wedge disclination near a surface. Behaviour of – **1,** 1
Work hardening of mono- and polycrystalline alloy Ni_3Fe. Influence of experimental temperature on the – **3,** 152

X-ray diffraction investigation of phase transformations in iron and Fe–Cr alloys **1,** 82
X-ray emission *L*-spectra of some transition 4*d* metals. Investigation of the influence of temperature on the – **4,** 51
X-ray scattering by deformed crystals **3,** 11
– , diffuse, by neutron irradiated molybdenum **6,** 113

Yield point in some f.c.c. metals at 4·2 K **1,** 141
Young's modulus and internal friction in the range 20°C to T_m inclusive. Study of the – **5,** 150
– of cementite. On the – **3,** 177

Zinc cooled to low temperatures. Crack formation on the boundary of grains and twins in – **2,** 167
Zinc single crystals, contribution of basal dislocations to the residual resistivity of – **3,** 164
Zirconium, influence of plastic deformation on the susceptibility of – **2,** 170

AUTHOR INDEX

Bold figures indicate the issue

Aleksandrovich, S. V. *See* **Ayvazov, M. I., Aleksandrovich, S. V.** and **Mkrtchyan, V. S.** **5,** 169

Aliyev, M. I., Dadashev, I. Sh. and **Safaraliyev, G. I.** Investigation of the kinetic properties of alloys $Ga_{1-x}Mn_xSb$ in the range 80–1000° K **5,** 166

Andreyev, L. A. and **Vyatkin, A. F.** Influence of surface reactions on the rate of interaction of hydrogen with aluminium **3,** 144

Andreyev, Yu. V. *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** **3,** 115

Andreyeva, A. V. Symmetry of the coincident site lattices of cubic structures **4,** 24

Andryushkin, V. I. and **Korshunskiy, M. I.** (dec.) Investigation of the influence of temperature on the X-ray emission *L*-spectra of some transition 4*d* metals **4,** 51

Antipov, S. D., Bondar, V. V., Goryunov, G. Ye. and **Stetsenko, P. N.** Magnetic anomalies of the Invar type in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$ **6,** 173

Antonets, Ye. P., Stepanov, B. M. and **Fabrikov, V. A.** On the theory of the stripe domain structure in films with perpendicular anisotropy **3,** 51

Antonova, T. Ye., Belash, I. T. and Ivakhnenko, S. A. High-pressure phase transformations in thallium **2,** 196

Arato, P. *See* **Spakevics, S.** and **Arato, P.** **2,** 86

Arbuzov, V. K. *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96

Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M. and **Trakhtenberg, I. Sh.** Diffusion solubility and residual resistivity of sulphur in nickel **2,** 113

Ashikhmina, L. A., Berezina, T. G. and **Shteynberg, M. M.** Peculiarities of the annealing of microvoids formed during creep **2,** 105

Averin, Yu. I. *See* **Korshunov, L. G., Bogachev, I. N.** (dec.) **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** **1,** 94

Ayvazov, M. I., Aleksandrovich, S. V. and **Mkrtchyan, V. S.** Magnetic susceptibility of solid solutions $Gd_xLa_{1-x}B_6$, and $Gd_xEu_{1-x}B_6$ **5,** 169

Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya. and **Gel'd, P. V.** Short-range order in alloys $Pd_{1-x}W_x$ **3,** 184

Babyuk, T. I. X-ray diffraction investigation of phase transformations in iron and Fe–Cr alloys **1,** 82

Bakhteyeva, N. D. *See* **Levit, V. I., Bakhteyeva, N. D.** and **Smirnov, L. V.** **2,** 153

Balandin, B. N., Sokolov, B. K. and **Gubernatorov, V. V.** Influence of recrystallization processes on the behaviour of dispersed inclusions in alloy Fe–3% Si **3,** 125

Balmanukyan, G. Ye. *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** **5,** 129

Barabanova, Ye. A. *See* **Deryagin, A. V.** and **Barabanova, Ye. A.** **5,** 194
Baraboshkin, A. N. *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** **6,** 163
Barannikova, G. A. and **Samoylenko, Z. A.** Paculiar features in the rupture of steel Kh18N10T during low-cycle fatigue testing in hydrogen atmosphere **3,** 191
Baranov, N. V. *See* **Deryagin, A. V.** and **Baranov, N. V.** **6,** 104
Baranov, Yu. V., Kostyukova, Ye. P. and **Zamorov, Yu. V.** Influence of the structure of surface layers on the polygonization and recrystallization of deformed tungsten **5,** 117
Baranovskiy, A. N., Romanova, R. R., Pushin, V. G. and **Buynov, N. N.** Feature of the influence of ageing and plastic deformation on the structure of an Al–Zn–Mg alloy **4,** 159
Baranovskiy, A. N. *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** **2,** 129
Bashmakov, V. I. and **Chikova, T. S.** Variations of wedge-shaped twins in bismuth crystals held under load for a long time **2,** 201
Baumgarten, M. I. *See* **Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A.** and **Baumgarten, M. I.** **4,** 167
Belash, I. T. *See* **Antonova, T. Ye., Belash, I. T.** and **Ivakhnenko, S. A.** **2,** 196
Belova, L. I. *See* **Kirshenina, I. I., Tret'yakova, B. N., Belova, L. I.** and **Tokmanova, V. A.** **2,** 39
Belyatskaya, I. S. and **Serebryakov, V. G.** Anisotropy of the elastic properties in iron–chromium–cobalt alloys **5,** 189
Berezina, A. L. and **Chuistov, K. V.** Investigation of kinetic features of the decomposition of alloy Co–9 at.% Ti **1,** 128
Berezina, T. G. and **Yudina, A. G.** Relation between the precipitation of secondary phases and the deformation and rupture of heat-resistant steel during creep **1,** 74
Berezina, T. G. *See* **Ashikhmina, L. A., Berezina, T. G.** and **Shteynberg, M. M.** **2,** 105
Berseneva, F. N. *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** **4,** 173
Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N. and **Slutskiy, M. I.** Magnetization of monocrystalline terbium in the antiferromagnetic state **2,** 44
Birfel'd, A. A. *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** **5,** 150
Bochkarev, V. F. *See* **Rusov, G. I., Zherikhov, S. P., Bochkarev, V. F.** and **Torba, G. F.** **6,** 119
Bogachev, I. N. (dec.) *See* **Korshunov, L. G., Bogachev, I. N.** (dec.) **Averin, Yu. I., Chernykn, S. G.** and **Knadyev, M. S.** **1,** 94
Bogatov, A. A. *See* **Smirnov, S. V., Bogatov, A. A.** and **Kolmogorov, V. L.** **2,** 143
Bogdanov, V. I. and **Fuks, D. L.** Static displacement and deformation interaction of atoms in interstitial solutions **2,** 160
Boletskaya, T. K., Yegoruskhin, V. Ye. and **Fadin, V. P.** Influence of anisotropy of the crystal potential of the band structure of titanium and nickel **5,** 184
Bol'shutkin, D. N., Desnenko, V. A. and **Il'yichev, V, Ya.** Magnetic susceptibility of steels Kh18N (10–15) in the range 4·2–300 K **2,** 50
Boltachev, V. D. *See* **Filippov, B. N., Boltachev, V. D.** and **Lebedev, Yu. G.** **6,** 21
Bondar V. V. *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** **6,** 173
Borodin, I. N. *See* **Korolev, Yu. V.** and **Borodin, I. N.** **1,** 187
Borodkina, M. M. *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** **5,** 78
Boyarskiy, L. A. *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** **2,** 44

Boyko, Yu. F., Navrotskiy, I. V. and **Podgayskiy, M. S.** Nucleation of ferrite grains during polymorphic transformation **1,** 105
Bryanin, G. E. Driban, V. A. and **Likhachev, V. A.** Crystallography of dislocation inheritance during the martensitic transformations which are described by non-uniform lattice deformation **4,** 15
Bulakh, I. Ye. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
Buldovskiy, V. A. *See* **Stefanovich, A. V.** and **Buldovskiy, V. A.** **6,** 150
Burkhanov, A. M. *See* **Vlasov, K. B., Rozenberg, Ye. A.** and **Burkhanov, A. M.** **1,** 29
Burkova, L. T., Motulevich, G. P. and **Shubin, A. A.** Investigation of the optical properties of alloy V_3Si **6,** 167
Buynov, N. N. *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** **4,** 159

Chalabyan, M. A. *See* **Pogosyan, Ya. M.** and **Chalabyan, M. A.** **1,** 69
Chebotkevich, L. A., Pashchenko, T. N. and **Veter, V. V.** Crystal and magnetic structure of $Fe_{0\cdot5}Co_{0\cdot5-x}Cr_x$ films **6,** 68
Chechernikov, V. I. *See* **Mirvat Abdul Aal** and **Chechernikov, V. I.** **3,** 189
Chekanov, M. I. *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** **5,** 162
Chemerinskaya, L. S. *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
Cheremnykh, V. G. *See* **Gol'dshteyn, M. I., Popov, V. V.** and **Cheremnykh, V. G.** **2,** 177
Chernykh, S. G. *See* **Korshunov, L. G., Bogachev, I. N.** (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** **1,** 94
Chikova, T. S. *See* **Bashmakov, V. I.** and **Chikova, T. S.** **2,** 201
Chirkina, L. A. *See* **Grindin, I. A., Okovit, V. S.** and **Chirkina, L. A.** **6,** 134
Chuistov, K. V. *See* **Berezina, A. L.** and **Chuistov, K. V.** **1,** 128
Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F. and **Panin, V. Ye.** Pseudopotential calculation of the lattice dynamics of indium **6,** 1
Chuyev, V. V. *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
Chuzhko, R. K., Andreyev, Ye. V., Kleyner, L. M. and **Khaldeyev, G. V.** Variations of dislocation structure according to the texture in tungsten deposited from the gas phase **3,** 115

Dadashev, I. Sh. *See* **Aliyev, M. I., Dadashev, I. Sh.** and **Safaraliyev, G. I.** **5,** 166
Danilov, S. Ye. *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
Danyushchenkov, I. A. *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96
Datsko, O. I., Marinin, G. A. and **Oberemchenko, I. A.** Grain boundary internal friction in recrystallizing aluminium **2,** 203
Demidenko, V. S. and **Skripko, Z. A.** Model of the density of electronic states and calculation of the magnetic parameters of iron–nickel alloys with chromium **5,** 31
Denisov, Yu. P. *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. I.** and **Syutkin, P. N.** (dec.) **2,** 121
Deryabin, A. V. Magnetic properties of iron–nickel–chromium alloys in weak magnetic fields **3,** 203

Deryagin, A. I. and **Nasyrov, R. Sh.** Magnetic susceptibility of plastically deformed tungsten and molybdenum **6,** 64
Deryagin, A. V. and **Baranov, N. V.** Magnetic properties, phase transitions and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$ **6,** 104
Deryagin, A. V. and **Barabanova, Ye. A.** Coercive force and phase composition of sintered magnets of Sm_2Co_7 **5,** 194
Deryavko, I. I. *See* **Savin, V. I., Markin, V. Ya., Deryavko, I. I.** and **Yakutovich, M. V.** **2,** 170
Desnenko, V. A. *See* **Bol'shutkin, D. N., Desnenko, V. A.** and **Il'yichev, V. Ya.** **2,** 50
Dizhur, L. M. *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenko, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96
Dmitriyev, V. D. *See* **Porollo, S. I. Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
Dogadudushkin, V. Yu. *See* **Georgiyev, M. M., Dogadushkin, V. Yu.** and **Mezhova, N. Ya.** **1,** 145
Dolgikh, Ye. V. *See* **Novikov, V. F.** and **Dolgikh, Ye. V.** **2,** 55
Dovgiy, V. T. and **Shapovalov, V. A.** Formation of lattices of cylindrical magnetic domains from stripe domains **4,** 188
Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K. and **Kalyukin, Yu. N.** Study of the Young's modulus and internal friction in the range 20° C to T_m inclusive **5,** 150
Drapkin, B. M. and **Fokin, B. V.** On the Young's modulus of cementite **3,** 177
Driban, V. A. *See* **Bryanin, G. E., Driban, V. A.** and **Likhachev, V. A.** **4,** 15
Dubrovskiy, I. M. and **Krivoglaz, M. A.** Ordered regions near macroscopic defects in crystals with percolation second-order phase transitions **6,** 7
Dudchenko, G. N. *See* **Zakharova, M. I.** and **Dudchenko, G. N.** **1,** 174
Dunayev, F. N. *See* **Fatayev, I. G., Novikov, V. F.** and **Dunayev, F. N.** **2,** 66
Dvinyaninov, V. N. *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
D'yachuk, P. P. *See* **Ivanov, A. A.** and **D'yachuk, P. P.** **2,** 1
D'yachuk, P. P. *See* **Ivanov, A. A.** and **Dyachuk, P. P.** **3,** 1
Dyakin, V. V. *See* **Kogan, Ye. M.** and **Dyakin, V. V.** **4,** 196
Dyakin, V. V. *See* **Korolev, A. V.** and **Dyakin, V. V.** **1,** 64

El'ner, V. Ya. *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
Emiraliyev, A. *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emirallyev, A.** and **Polishchuk, V. S.** **1,** 181
Emirbekov, E. T. *See* **Shumilov, D. V., Kleshchev, G. V.** and **Emirbekov, E. T.** **5,** 182
Entin, R. I. *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** **3,** 197

Fabrikov, V. A. *See* **Antonets, Ye. P., Stepanov, B. M.** and **Fabrikov, V. A.** **3,** 51
Fadin, V. P. *See* **Boletskaya, T. K., Yegorushkin, V. Ye.** and **Fadin, V. P.** **5,** 184
Fatayev, I. G., Novikov, V. F. and **Dunayev, F. N.** Behaviour of the magnetization during flexural vibrations, and its interrelation with the ΔE effect **2,** 66
Fayzullayev, F., Krimov, I., Kalanov, M., Emiraliyev, A. and **Polishchuk, V. S.** Concerning ordering in vanadium carbonitrides **1,** 181
Fedorenko, A. I. *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111

Fedorov, G. V. *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** **6,** 50
Fedorov, V. A., Finkel', V. M. and **Plotnikov, V. P.** Crack formation on the boundaries of grains and twins in zinc cooled to low temperature **2,** 167
Feoktistova, Ye. K. *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** **6,** 159
Figurovskaya, Ye. A. *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** **5,** 122
Filippov, B. N., Boltachev, V. D. and **Lebedev, Yu. G.** Surface and volume magnetoelastic waves in perpendicularly magnetized ferromagnetic films **6,** 21
Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I. and **Tankeyev, A. P.** Internal magnetic domains, not emerging to the surface, in unevenly thick magnetically uniaxial plates **6,** 37
Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G. and **Rayevskiy, Ye. I.** Static and dynamic properties of the domain walls of bubble plates inhomogeneous in depth **3,** 59
Filippov, G. A. and **Sarrak, V. I.** Internal microstresses and the local distribution of hydrogen in the structure of a quenched steel **1,** 101
Filippov, M. A. *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** **2,** 148
Finkel', V. M. *See* **Fedorov, V. A., Finkel', V. M.** and **Plotnikov, V. P.** **2,** 167
Firstov, S. A. *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** **1,** 163
Fishman, A. Ya. *See* **Vykhodets, V. B.** and **Fishman, A. Ya.** **2,** 197
Flis, V. S. *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
Flyagin, M. Ya. *See* **Galperina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** **3,** 72
Fokin, B. V. *See* **Drapkin, B. M.** and **Fokin, B. V.** **3,** 177
Frolov, G. I. *See* **Yerukhimov, M. Sh., Zhigalov, V. S.** and **Frolov, G. I.** **6,** 73
Fuks, D. L. *See* **Bogdanov, V. I.** and **Fuks, D. L.** **2,** 160

Galkina, O. S. *See* **Kondoroskiy, Ye. I., Galkina, O. S.** and **Zakharova, I. N.** **1,** 58
Galkina, O. S. *See* **Kondoroskiy, Ye. I., Il'yina, I. K.** and **Galkina, O. S.** **6,** 58
Galoshina, E. V. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** **6,** 94
Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A. and **Gel'd, P. V.** Influence of nonstoichiometry on the magnetic properties of $Fe_{1+\delta}Sb$ **3,** 72
Gal'tsova, V. I. *See* **Georgiyeva, I. Ya., Sorokina, N. A.** and **Gal'tsova, V. I.** **1,** 178
Gass, V. G., Glazer, A. A. and **Shur, Ya. S.** Domain boundary time lag during the remagnetization of magnetically uniaxial high-anisotropy ferromagnets **5,** 191
Geguzin, Ya. Ye. and **Kaganovskiy, Yu. S.** Point traps in a diffusion zone **2,** 183
Geguzin, Ya. Ye., Kibets, V. I. and **Chekanov, M. I.** Influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on creep of polycrystalline iron **5,** 162
Gel'd, P. V. *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
Gel'd, P. V. *See* **Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** **3,** 72
Gel'd, P. V. *See* **Kuznetsov, Yu. S., Shtol'ts, A. K.** and **Gel'd, P. V.** **2,** 138
Gel'd, P. V. *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** **4,** 185
Georgiyev, M. M., Dogadushkin, V. Yu. and **Mezhova, N. Ya.** Some peculiarities of the failure of polycrystalline iron in a single operation of loading **1,** 145

Georgiyeva, I. Ya., Sorokina, N. A. and **Gal'tsova, V. I.** Investigation of phase transformations in Fe–Cr–Mn steels **1,** 178
Gervas'yev, M. A. *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** **5,** 138
Gilyarov, V. I. Influence of a non-uniform electron density profile on the plasmon frequency in one-dimensional metals **2,** 194
Gindin, I. A., Okovit, V. S. and Chirkina, L. A. Influence of type of deformation and of dislocation structure of silicon iron in the range 20–500° C **6,** 134
Glazer, A. A. *See* **Gass, V. G., Glazer, A. A.** and **Shur, Ya. S.** **5,** 191
Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M. and **Shipilevskiy, B. M.** Investigation of oxygen distribution in niobium single crystals by the method of fast-neutron activity **3,** 130
Glotova, L. S., Yakovlev, G. P., Kononova, L. M. and **Mamayev, S. V.** Instantaneous internal friction as a function of the oscillation phase of a ferromagnetic specimen **2,** 59
Gol'dshteyn, M. I., Popov, V. V. and **Cheremnykh, V. G.** The possibilities of using the model of perfect solutions for calculating the equilibrium composition and solubility of complex carbonitrides in steel **2,** 177
Golikov, V. M. (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** Suppression of the bainite transformation in steel **3,** 197
Golovanov, Ye. A. *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111
Golovinskaya, T. M. Influence of compression on the structural changes in low- and high-tempered engineering steel prestressed in tension **3,** 109
Gol'tsov, V. A. *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** **4,** 173
Golubov, S. I. and **Konobeyev, Yu. V.** Mechanism of vacancy loop formation in irradiated metals **3,** 160
Goncharenko, Yu. D. *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
Gorbatenko, N. A. *See* **Sadovskiy, V. D., Uvarov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
Goritskiy, V. M. Relation between the structure parameters and critical brittle point of polycrystalline metals with a b.c.c. lattice **2,** 79
Gorovoy, A. M. *See* **Yakimov, I. I., Gorovoy, A. M.** and **Litvintsev, V. V.** **4,** 46
Gorskiy, V. V. *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
Goryunov, G. Ye. *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** **6,** 173
Grabova, R. B. *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
Grabovskiy, V. Ya., Levitin, V. V. and **Kanyuka, V. I.** Concerning the influence of the γ' phase on the temperature dependence of the work of rupture of heat-resistant alloy KhN35VTYu **4,** 179
Gridnev, V. N., Oshkaderov, S. P. and **Televich, R. V.** On recovery of the austenite grain during rapid heating of quenched carbon steels **3,** 200
Gridnev, V. N. and **Vovk, Ya. N.** Influence of deformation temperature on the crystal structure of martensite **2,** 100
Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P. and **Televich, R. V.** On the orientation of ferrite in pearlite relative to austenite **4,** 190

Grigorov, S. N. *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** **4,** 131
Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A. and **Shatokhin, A. M.** Crystallographic features of the rupture of molybdenum single crystals tested in tension along the [001] axis **1,** 163
Gromov, V. I. *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** **4,** 173
Gruzin, P. L. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** **3,** 100
Gruzin, P. L. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Gryuznov, V. I. and **Sagyndykov, A. S.** Mutual diffusion in the system Ti–Ni–Co **5,** 178
Gubernatorov, V. V. *See* **Balandin, B. N., Sokolov, B. K.** and **Gubernatorov, V. V.** **3,** 125
Guseynov, M. B. On the theory of weak uniaxial ferromagnets with anisotropy of the easy plane type **5,** 53
Guseynov, N. G. and **Mamedov, R. A.** Some peculiarities of the high-frequency properties of weak ferromagnets and antiferromagnets **1,** 193

Il'yichev, V. Ya. *See* **Bol'shutkin, D. N., Desnenko, V. A.** and **Il'yichev, V. Ya.** **2,** 50
Il'yina, I. K. *See* **Kondorskiy, Ye. I., Il'yina, I. K.** and **Galkina, O. S.** **6,** 58
Ilyushin, A. S. and **Korchazhkin, V. V.,** Ordering of iron atoms in Fe–Mn–Al alloys isostructural with β-Mn **6,** 177
Irkhin, Yu. P., Zabolotskiy, Ye. I. and **Rozenfel'd, Ye. V.** Influence of local symmetry on the magnetic anisotropy of alloys **6,** 78
Isfandiyarov, G. G. *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** **3,** 173
Isfandiyarov, G. G. *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Zambrzhitskiy, V. N.** **2,** 94
Isfandiyarov, G. G. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** **3,** 100
Isfandiyarov, G. G. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskii, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Ivakhnenko, S. A. *See* **Antonova, T. Ye., Belash, I. T.** and **Ivakhnenko, S. A.** **2,** 196
Ivanov, A. A. Influence of the form of random potentials of a domain wall on the magnetic hysteresis. II. Pinning by defects with a finite radius of interaction **5,** 43
Ivanov, A. A. and **D'yachuk, P. P.** Description of the one-dimensional flow of configurations of a domain wall moving in a random field of point defects **2,** 1
Ivanov, A. A. and **D'yachuk, P. P.** Influence of the form of the random potential of a domain wall on magnetic hysteresis. I. Highly localized centres of pinning **3,** 1
Ivanov, G. A. *See* **Krylov, A. S.** and **Ivanov, G. A.** **2,** 181
Ivanov, K. G. *See* **Rusinov, V. A.** and **Ivanov, K. G.** **2,** 175
Ivanov, V. Yu. *See* **Vinokurova, L. I., Ivanov, V. Yu.** and **Sagoyan, L. I.** **3,** 76
Ivanova, G. V. and **Magat, L. M.** Concerning the phases in the system samarium–copper **1,** 185
Ivchenko, V. A. and **Syutkin, N. N.** Field ion microscopy of structure transformations in platinum–iridium alloys **1,** 121
Izotov, V. I. *See* **Omel'chenko, A. V., Panktratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** **2,** 166

Izotova, G. A. *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** **4,** 140
Izyumov, Yu. A. and **Skryabin, Yu. N.** Magnetic ordering in superconductive rare-earth compounds **5,** 1

Kaganovskiy, Yu. S. *See* **Geguzin, Ya. Ye.** and **Kaganovskiy, Yu. S.** **2,** 183
Kalanov, M. *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** **1,** 181
Kalashnikov, V. P. and **Kozhevnikov, N. V.** Macroscopic equations of magnet dynamics. III. *s–d* model in a variable magnetic field **2,** 20
Kalyukin, Yu. N. *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** **5,** 150
Kandaurova, G. S. and **Vas'kovskiy, V. O.** Local coercivity of domain boundaries **4,** 57
Kanyuka, V. I. *See* **Grabovskiy, V. Ya., Levitin, V. V.** and **Kanyuka, V. I.** **4,** 179
Karimov, I. *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** **1,** 181
Karpov, P. P. *See* **Sadovskiy, V. D., Uvarov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
Kashchenko, M. P. Conditions under which waves comparable with Bain deformation are generated **5,** 30
Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M. and **Pokrovskiy, A. S.** Diffuse X-ray scattering by neutron irradiated molybdenum **6,** 113
Katsnel'son, A. A., Silonov, V. M. and **Khavada Farid A.** Theory of the calculation of short-range order parameters in any coordination sphere in the pseudopotential approximation, and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn **1,** 40
Kaybyshev, O. A. *See* **Valiyev, R. Z., Kaybyshev, O. A.** and **Sergeyev, V. I.** **6,** 144
Kazantsev, A. M. *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** **3,** 130
Kelarev, V. V. *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
Khadyev, M. S., Nemirovskiy, Yu. R. and **Filippov, M. A.** Mechanical twinning of the h.c.p. ε phase of Fe–Mn alloys during plastic deformation **2,** 148
Khadyev, M. S. *See* **Korshunov, L. G., Bogachev, I. N.** (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** **1,** 94
Khadyev, M. S. *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.**. **3,** 137
Khaldeyev, G. V. *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** **3,** 115
Khannanov, Sh. Kh. Dislocation and disclination kinetics and the formation of a fragmented structure **4,** 32
Khannanov, Sh. Kh. Kinetics of dislocations and disclinations **1,** 47
Kharitonov, N. V. Twinning in iron experiencing a plane shock wave **6,** 171
Khavada Farid A. *See* **Katsnel'son, A. A., Silonov, V. M.** and **Khavada Farid A.** **1,** 40
Khayutin, S. G. and **Meshchaninov, I. V.** Mechanical properties of dilute nickel solid solutions **1,** 133
Khayutin, S. G. *See* **Koryagina, M. V., Meshchaninov, I. V.** and **Khayutin, S. G.** **4,** 145

Khodenkov, G. Ye. Discontinuity of the limiting velocities at the Bloch–Neel domain wall transition point **3,** 194
Khotkevich, V. I. *See* **Kozinets, V. V., Khotkevich, V. I.** and **Ogneva, E. M.** **1,** 141
Kibets, V. I. *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** **5,** 162
Kinev, V. D., Naysh, Ye. and **Syromyatnikov, V. N.** Construction of an integral rational basis of invariants for structure and magnetic phase transitions **2,** 10
Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I. and **Tokmanova, V. A.** Non-magnetic localized iron impurity states in titanium–niobium–zirconium alloys **2,** 39
Kleshchev, G. V. *See* **Shumilov, D. V., Kleshchev, G. V.** and **Emirbekov, E. T.** **5,** 182
Kleyner, L. M. *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** **3,** 115
Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M. and **Timofeyev, N. I.** Influence of short-range order on the ordering of alloy A–B–(C) **5,** 85
Klotsman, S. M. *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
Klyuyeva, I. B. *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
Kobytev, V. S. *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** **3,** 152
Kobytev, V. S. *See* **Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A.** and **Baumgarten, M. I.** **4,** 167
Kogan, L. I. *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** **3,** 197
Kogan, Ye. M. and **Dyakin, V. V.** Approximate method of calculating linear response **4,** 196
Kokorin, V. V. and **Osipenko, I. A.** Small ferromagnetic inclusions in copper–manganese–aluminium alloys **4,** 41
Kokorin, V. V., Osipenko, I. A. and **Perekos, A. Ye.** Magnetic properties of the system of dispersed ferromagnetic particles in Cu–Ni–Co alloys **2,** 187
Kolmogorov, V. L. *See* **Smirnov, S. V., Bogatov, A. A.** and **Kolmogorov, V. L.** **2,** 143
Kondorskiy, Ye. I., Galkina, O. S. and **Zakharova, I. N.** Magnetic phase transitions in holmium and holmium–samarium alloys **1,** 58
Kondorskiy, Ye. I., Il'yina, I. K. and **Galkina, O. S.** Magnetoresistance of Dy–Sm alloys **6,** 58
Kondrat'yev, A. S. *See* **Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** **5,** 57
Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V. and **Kobytev, V. S.** Influence of experimental temperature on the work hardening of mono- and polycrystalline alloy Ni_3Fe **3,** 152
Konobeyev, Yu. V. and **Subbotin, A. V.** Influence of the concentration of pre-injected helium and the temperature of that operation on the concentration of voids in a metal irradiated with heavy ions **3,** 175
Konobeyev, Yu. V. *See* **Golubov, S. I.** and **Konobeyev, Yu. V.** **3,** 160
Kononenko, V. K. *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** **5,** 150
Kononova, L. M. *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** **2,** 59
Korchazhkin, V. V. *See* **Ilyushin, A. S.** and **Korchazhkin, V. V.** **6,** 177

Kornev, Yu. V. and **Sysoyev, V. Ya.** Resonance fields of multi- and unilayer magnetic films **1,** 190
Korolev, A. V. and **Dyakin, V. V.** Coercive force of a single crystal with narrow domain boundaries **1,** 64
Korolev, Yu. V. and **Borodin, I. N.** Resonance properties of thin magnetic films where there is a lattice of bubble domains **1,** 187
Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M. and **Arbuzov, V. K.** Role of nucleation conditions in the formation of an oxide phase internal oxidation of molybdenum alloys **4,** 96
Korshunov, L. G., Bogachev, I. N. (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** Influence of the martensitic $\gamma \rightarrow \alpha$ transformation of the strengthening kinetics and resistance of the friction surface of austenite steels to rupture under conditions of wear involving multiple strains **1,** 94
Korshunskiy, M. I. (dec.), *See* **Andryushin, V. I.** and **Korshunskiy, M. I.** (dec.) **4,** 51
Koryagina, M. V., Meshchaninov, I. V. and **Khayutin, S. G.** Recrystallization and grain growth in nickel alloys **4,** 145
Kosakovskaya, Z. Ya. *See* **Ukhlinov, G. A.** and **Kosakovskaya, Z. Ya.** **4,** 104
Kosenkov, V. M. *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. S. and **Umanskiy, G. P.** The role of high-angle boundaries in the formation of spheroidal graphite **4,** 131
Kositsyn, S. V., Litvinov, V. S., Sorokin, G. V. and **Gervas'yev, M. A.** Influence of silicon in diffusion in nickel–aluminium alloys **5,** 138
Kostyukova, Ye. P. *See* **Baranov, Yu. V., Kostyukova, Ye. P.** and **Zamorov, Yu. V.** **5,** 117
Koval', Yu. N. and **Molin, A. I.** Appearance of electromotive force in Fe–Ni alloys during the $\gamma \rightarrow \alpha$ transformation **5,** 172
Kovalev, A. I. Influence of phosphorus grain boundary segregations and microstructure on the brittle failure of steel 35G2 after quenching and medium annealing **4,** 123
Kovaleva, V. A. *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** **5,** 122
Kozhanov, V. N. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** **6,** 94
Kozhanov, V. N. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
Kozhevnikov, N. V. *See* **Kalashnikov, V. P.** and **Kozhevnikov, N. V.** **2,** 20
Kozinets, V. V., Khotkevich, V. I. and **Ogneva, E. M.** Yield point in some f.c.c. metals at 4·2 K **1,** 141
Kozlov, E. V. *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** **3,** 152
Krasnoyartseva, L. S. *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** **6,** 159
Kravchenko, V. V. *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111
Krinchik, G. S. and **Mironova, L. S.** Magneto-optical spectra of ferromagnetic alloys with amorphous and crystalline states **5,** 91

Krishtal, M. A. and **Nikitin, K. Ye.** Rayleigh wave investigation of the dislocation anharmonism of plastically deformed metals **1,** 155
Krivoglaz, M. A. *See* **Dubrovskiy, I. M.** and **Krivoglaz, M. A.** **6,** 7
Kruglov, A. S. *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
Krylov, A. S. and **Ivanov, G. A.** Controlling the composition of bismuth-based single crystals by the method of charge transfer **2,** 181
Krylov, B. S. *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
Krylovskiy, V. S. *See* **Lebedev, V. P.** and **Krylovskiy, V. S.** **5,** 143
Kuchma, A. Ye. *See* **Zyryanova, N.. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** **5,** 57
Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I. and **Isfandiyarov, G. G.** Nuclear gamma resonance study of the tempering transformations of steel **3,** 173
Kuz'menko, V. M. and **Mel'nikov, V. I.** Electronic properties of metastable β gallium **2,** 72
Kuz'min, N. N. and **Men'shikov, A. Z.** Low-temperature critical neutron scattering in iron–nickel and nickel–manganese alloys **2,** 190
Kuz'mina, S. I. *See* **Pushkar', V. V., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** **3,** 41
Kuznetsov, G. F. and **Orgin, Yu. F.** Hetero-epitaxial growth, structure defects and electrical properties of monocrystalline films of lead at 4·2 K **5,** 108
Kuznetsov, Yu. S., Shtol'ts, A. K. and **Gel'd, P. V.** Low-temperature elastic properties of solid solutions $V_3Si_{1-x}Ge_x$ **2,** 138

Latysheva, V. I. *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
Lavrent'yev, F. F. and **Nikiforenko, V. N.** Contribution of basal dislocations to the residual resistivity of zinc single crystals **3,** 164
Lebedev, V. P. and **Krylovskiy, V. S.** Influence of the size factor on the softening of lead in the superconductive state **5,** 143
Lebedev, Yu. G. *See* **Filippov, B. N., Boltachev, V. D.** and **Lebedev, Yu. G.** **6,** 21
Lebedev, Yu. G. *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tankeyev, A. P.** **6,** 37
Lebedev, Yu. G. *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** **3,** 59
Levit, V. I., Bakhteyeva, N. D. and **Smirnov, L. V.** Influence of high-temperature thermomechanical treatment of the load–elongation curves of single crystals of alloy KhN77TYuR **2,** 153
Levitin, V. V. *See* **Grabovskiy, V. Ya., Levitin, V. V.** and **Kanyuka, V. I.** **4,** 179
Libman, M. A. *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** **4,** 140
Likhachev, V. A. *See* **Bryanin, G. E., Driban, V. A.** and **Likhachev, V. A.** **4,** 15
Likhachev, V. A. *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
Litvin, D. F. *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** **4,** 182
Litvinenko, Ye. N. *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
Litvinov, V. S. *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** **5,** 138

Litvintsev, V. V. *See* **Yakimov, I. I., Gorovoy, A. M.** and **Litvintsev, V. V.** 4, 46
Luft, A. *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** 1, 163
Lukashchuk, S. N. *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** 2, 44
Lyasotskaya, V. S. *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** 6, 159
Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S. and **Feoktistova, Ye. K.** Structural changes during the heating of a complex titanium alloy 6, 159
Lyubchenko, A. P. *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** 4, 131

Magat, L. M. *See* **Ivanova, G. V.** and **Magat, L. M.** 1, 185
Maksimova, O. P. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** 3, 100
Maksimova, O. P. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.,** and **Seleznev, V. N.** 4, 86
Mamayev, S. V. *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** 2, 59
Mamedov, R. A. *See* **Guseynov, N. G.** and **Mamedov, R. A.** 1, 193
Marinin, G. A. *See* **Datsko, O. I., Marinin, G. A.** and **Oberemchenko, I. A.** 2, 203
Markin, V. Ya. *See* **Savin, V. I., Markin, V. Ya., Deryavko, I. I.** and **Yakutovich, M. V.** 2, 170
Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N. and **Zyryanov, V. G.** ($\bar{1}01$ *l*) texture of rhenium electro-deposited from fused salts 6, 163
Masharov, S. I., Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M. and **Timofeyev, N. I.** 5, 85
Matorin, V. I. *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** 1, 110
Matveyev, V. A., Fedorov, G. V. and **Volkenshteyn, N. V.** Thermo e.m.f. of alloys PdFe, PdCo and PdNi 6, 50
Mel'nikov, V. I. *See* **Kuz'menko, V. M.** and **Mel'nikov, V. I.** 2, 72
Mendel'son, V. M. *See* **Vaynshteyn, A. A.** and **Mendel'son, V. M.** 6, 156
Men'shenin, V. V., Mirsayev, I. F. and **Taluts, G. G.** Parametric amplification of magnetic waves in spin glass by elastic pumping 3, 24
Men'shikov, A. Z. *See* **Kuz'min, N. N.** and **Men'shikov, A. Z.** 2, 190
Meshchaninov, I. V. *See* **Khayutin, S. G.** and **Meshchaninov, I. V.** 1, 133
Meshchaninov, I. V. *See* **Koryagina, M. V., Meshchaninov, I. V.** and **Khayutin, S. G.** 4, 145
Meshcheryakov, Yu. I. *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** 5, 111
Mezhova, N. Ya. *See* **Georgiyev, M. M., Dogadushkin, V. Yu.** and **Mezhova, N. Ya.** 1, 145
Mironova, L. *See* **Krinchik, G. S.** and **Mironova, L.** 5, 91
Mirsayev, I. F. *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** 3, 24
Mirvat Abdul Aal and **Chechernikov, V. I.** Some of the magnetic properties of solid solutions of system $Er_xA_{1-x}Fe_2$(A−Sc, Y, Lu) 3, 189
Mitsek, A. I. *See* **Pushkar', V. N., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** 3, 41
Mkrtchyan, V. S. *See* **Ayvazov, M. I., Aleksandrovich, S. V.** and **Mkrtchyan, V. S.** 5, 169

Mogutnov, B. M. *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** **1,** 137
Moiseyeva, I. V., Okrainets, P. N. and **Pishchak, V. K.** Dynamics of the variation of dislocation density during creep of nickel **3,** 180
Molin, A. I. *See* **Koval', Yu. N.** and **Molin, A. I.** **5,** 172
Molotilov, B. V. *See* **Zolotarev, S. N., Molotilov, B. V.** and **Samarina, N. M.** **3,** 186
Monasevich, L. A. and **Paskal', Yu. I.** Martensite–martensite transformation in titanium nickelide **4,** 118
Motulevich, G. P. *See* **Burkova, L. T., Motulevich, G. P.** and **Shubin, A. A.** **6,** 167
Murtazin, I. A. and **Salamatov, Ye. I.** Dynamics of a b.c.c. lattice containing an interstitial atom in a split configuration **5,** 38

Nasyrov, R. Sh. *See* **Deryagin, A. I.** and **Nasyrov, R. Sh.** **6,** 64
Navrotskiy, I. V. *See* **Boyko, Yu. F., Navrotskiy, I. V.** and **Podgayskiy, M. S.** **1,** 105
Naysh, Ye. *See* **Kinev, V. D., Naysh, Ye.** and **Syromyatnikov, V. N.** **2,** 10
Nadbay, A. I. *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
Nemirovskiy, Yu. R. *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** **2,** 148
Nikiforenko, V. N., *See* **Lavrent'yev, F. F.** and **Nikiforenko, V. N.** **3,** 164
Nikitin, K. Ye. *See* **Krishtal, M. A.** and **Nikitin, K. Ye.** **1,** 155
Nikulin, A. D. *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** **5,** 122
Novikov, B. A. *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** **3,** 197
Novikov, V. F. and **Dolgikh, V. Ye.** Magnetoelastic hysteresis in alloys of iron with terbium **2,** 55
Novikov, V. F. *See* **Fatayev, I. G., Novikov, V. F.** and **Dunayev, F. N.** **2,** 66

Oberemchenko, I. A. *See* **Datsko, O. I., Marinin, G. A.** and **Oberemchenko, I. A.** **2,** 203
Ogneva, M. *See* **Kozinets, V. V., Khotkevich, V. I.** and **Ogneva, E. M.** **1,** 141
Okovit, V. S. *See* **Gindin, I. A., Okovit, V. S.** and **Chirkina, L. A.** **6,** 134
Okrainets, P. N. and **Pishchak, V. K.** Strengthening, recovery and structural changes during creep of alloys Cu+10 at.% Ni **5,** 156
Okrainets, P. N. and **Pishchak, V. K.** The development of a substructure and internal stress during creep **6,** 129
Okrainets, P. N. *See* **Moiseyeva, I. V., Okrainets, P. N.** and **Pishchak, V. K.** **3,** 180
Okulov, V. I. *See* **Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** **5,** 57
Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I. and **Izotov, V. I.** Structure and hardness of the martensite in Fe–Zn alloys **2,** 166
Orekhova, T. S. *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** **5,** 78
Orgin, Yu. F. *See* **Kuznetsov, G. F.** and **Orgin, Yu. F.** **5,** 108
Oshkaderov, S.P. *See* **Gridnev, V. N., Oshkaderov, S. P.** and **Televich, R. V.** **3,** 200
Oshkaderov, S. P. *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** **4,** 190
Osipenko, I. A. *See* **Kokorin, V. V., Osipenko, I. A.** and **Perekos, A. Ye.** **2,** 187
Ovcharenko, A. A. Computer calculation of the constitution diagrams of certain binary alloys with determination of interaction parameters from experimental diagrams **5,** 96

Pamyatnykh, Ye. P. The low-temperature adiabatic de Haas–van Alphen effect in an electron fluid **5,** 63
Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S. and **Gorskiy, V. V.** Phase equilibrium and the superconductive properties of niobium–tin–copper alloys **1,** 170
Pan, V. M. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
Panin, V. Ye. *See* **Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** **6,** 1
Pankova, M. N. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, L. P., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Pankratova, L. S. *See* **Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** **2,** 166
Pashchenko, T. N. *See* **Chebotkevich, L. A., Pashchenko, T. N.** and **Veter, V. V.** **6,** 68
Paskal, Yu. I. *See* **Monasevich, L. A.** and **Paskal', Yu. I.** **4,** 181
Perekos, A. Ye. *See* **Kokorin, V. V., Osipenko, I. A.** and **Perekos, A. Ye.** **2,** 187
Perepelkin, A. V. *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** **1,** 163
Petrakov, Ye. I. *See* **Sadovskiy, V. D., Uravov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N. and **Orekhova, T. S.,** Peculiar features of the magnetic properties of Fe–Co–Ni Perminvars in the magnetic anisotropy range **5,** 78
Pevchikh, Yu. M. *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V. and **Kelarev, V. V.** Neutron diffraction investigation of the distribution of cobalt and nickel atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
Pishchak, V. K. *See* **Moiseyeva, I. V., Okrainets, P. N.** and **Pishchak, V. K.** **3,** 180
Pishchak, V. K. *See* **Okrainets, P. N.** and **Pishchak, V. K.** **5,** 156
Pishchak, V. K. *See* **Okrainets, P. N.** and **Pishchak, V. K.** **6,** 129
Plotnikov, V. P. *See* **Fedorov, V. A., Finkel', V. M.** and **Plotnikov, V. P.** **2,** 167
Podgayskiy, M. S. *See* **Boyko, Yu. F., Navrotskiy, I. V.** and **Podgayskiy, M. S.** **1,** 105
Pogosyan, Ya. M. and **Chalabyan, M. A.** On the nature of the coercive force of domain wall migration in thin films **1,** 69
Pokhodnaya, I. K., Ustinov, V. G. and **Shvachko, V. I.** Influence of phase transformations on secondary ion-ion emission in iron–nitrogen alloys **2,** 173
Pokrovskiy, A. S. *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
Polishchuk, V. S. *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** **1,** 181
Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A. and **Baumgarten, M. I.** Temperature dependence of resistance of the motion of edge superdislocations **4,** 167
Popov, V. V., *See* **Gol'dshteyn, M. I., Popov, V. V.** and **Cheremnykh, V. G.** **2,** 177
Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D, Kruglov, A. S. and **Pevchikh, Yu. M.** Electron microscopic analysis of the microstructure of steel 0Kh16N15M3B after creep testing in reactor BR-10 **6,** 154
Potapov, N. N. *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** **4,** 140

Pronman, I. M. *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** **3,** 130
Psukh'ye, S. G. *See* **Chulkov, Ye. V., Psukh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** **6,** 1
Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V. and **Balmanukyan, G. Ye.** Influence of the high-temperature deformation of austenite on the structure and ageing kinetics of maraging steel M12K7M5TYu **5,** 129
Pushin, V. G., Romanova, R. R., Uvarov, A. I. and **Baranovskiy, A. N.** Influence of ageing and plastic deformation on the structure and mechanical properties of alloy Ni15Kh5G-3T3 with metastable austenite **2,** 129
Pushin, V. G. *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** **4,** 159
Pushkar', V. N. Zhuravlev, A. F., Mitsek, A. I. and **Kuz'mina, S. T.** Magnetic anisotropy in two-layer films of Permalloy Me(Cu, Al) **3,** 41
Puzanova, N. M. *See* **Volobuyev, P. V., Puzanova, N. M.** and **Varaksin, A. N.** **3,** 34
Puzey, I. M. *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** **5,** 78

Rayevskiy, Ye. I. *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tenkeyev, A. P.** **6,** 37
Rayevskiy, Ye. I. *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** **3,** 59
Rodionov, D. P. *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** **5,** 129
Rodionov, Yu. L., Isfandiyarov, G. G. and **Zambrzhitskiy, V. N.** Influence of the redistribution of atoms in the austenite of Fe–Ni–Mo and Fe–Ni–Si alloys **2,** 94
Rodionov, Yu. L. *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** **3,** 173
Rodionov, Yu. L. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Rodionov, Yu. L. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** **3,** 100
Romanov, Ye. P. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** **6,** 94
Romanov, Ye. P. *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** **5,** 122
Romanova, R. R. *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** **4,** 159
Romanova, R. R. *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** **5,** 129
Romanova, R. R. *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** **2,** 129
Rozenberg, Ye. A. *See* **Vlasov, K. B., Rozenberg, Ye. A.** and **Burkhanov, A. M.** **1,** 29
Rozenfel'd, Ye. V. *See* **Irkhin, Yu. P., Zabolotskiy, Ye. I.** and **Rozenfel'd, Ye. V.** **6,** 78
Rusinov, V. A. and **Ivanov, K. G.** A comparison of the effect of arsenic and antimony on the band structure of bismuth **2,** 175
Rusov, G. I., Zherikov, S. P., Bochkarev, V. F. and **Torba, G. F.** Investigation of the temperature stability of amorphous Gd-Co films **6,** 119
Rybalko, A. F. *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** **5,** 85

Rybalko, N. M. *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** **5,** 85
Ryzhanova, V. N. *See* **Voloshinskiy, A. N.** and **Ryzhanova, N. V.** **4,** 68

Sabirov, R. Kh. Influence of positron– and electron–phonon interaction on positron trapping by the defects of a metal **6,** 16
Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P. and **Petrakov, Ye. I.** Influence of austenite stability on the impact toughness of some austenitic steel. I. The quenched state **4,** 152
Safaraliyev, G. I. *See* **Aliyev, M. I., Dadashev, I. Sh.** and **Safaraliyev, G. I.** **5,** 166
Sagoyan, L. I. *See* **Vinokurova, L. I., Ivanov, V. Yu.** and **Sagoyan, L. I.** **3,** 76
Sagyndykov, A. S *See* **Gryuznov, V. I.** and **Sagyndykov, A. S.** **5,** 178
Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P. and **Syutkin, P. N.** (dec.) Ordering kinetics and mechanism of domain structure formation during isothermal tempering of a quenched alloy NiPt **2,** 121
Salamatov, Ye. I. *See* **Murtazin, I. A.** and **Salamatov, Ye. I.** **5,** 38
Samarina, N. M. *See* **Zolotarev, S. N., Molotilov, B. V.** and **Samarina, N. M.** **3,** 186
Samoylenko, Z. A. *See* **Barannikova, G. A.** and **Samoylenko, Z. A.** **3,** 191
Sarrak, V. I. *See* **Filippov, G. A.** and **Sarrak, V. I.** **1,** 101
Satdarova, F. F. X-ray scattering by deformed crystals **3,** 11
Savin, V. I., Markin, V. Ya., Deryavko, I. I. and **Yakutovich, M. V.** Influence of plastic deformation on the susceptibility of zirconium **2,** 170
Savvin, A. N. *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** **5,** 78
Schastlivtsev, V. M., Yakovleva, I. L. and **Zavarov, A. S.** Influence of tempering on the structure and properties of patented steel **1,** 115
Seleznev, V. N. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Seleznev, V. L. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** **3,** 100
Serebryakov, V. G. *See* **Belyatskaya, I. S.** and **Serebryakov, V. G.** **5,** 189
Serebryakov, V. G. *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** **4,** 182
Sergeyev, V. I. *See* **Valiyev, R. Z., Kaybyshev, O. A.** and **Sergeyev, V. I.** **6,** 144
Shaposhnikov, N. G. *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** **3,** 137
Shapovalov, V. A. *See* **Dovgiy, V. T.** and **Shapovalov, V. A.** **4,** 188
Shashkov, O. D. *See* **Sukhanov, V. D., Shashkov, O. D.** and **Syutkina, V. I.** **6,** 123
Shatokhin, A. M. *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** **1,** 163
Shcherbak, V. I. *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
Shevchenko, A. D. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
Shipilevskiy, B. M. *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** **3,** 130

Shirokovskiy, V. P. *See* **Vol'f, G. V.** and **Shirokovskiy, V. P.** 3, 169
Shirokovskiy, V. P. *See* **Vol'f, G. V.** and **Shirokovskiy, V. P.** 1, 53
Shteynberg, M. M. *See* **Ashikhmina, L. A., Berezina, T. G.** and **Shteynberg, M. M.** 2, 105
Shtol'ts, A. K. *See* **Kuznetsov, Yu. S., Shtol'ts, A. K.** and **Gel'd, P. V.** 2, 138
Shubin, A. A. *See* **Burkova, L. T., Motulevich, G. P.** and **Shubin, A. A.** 6, 167
Shumilov, D. V., Kleshchev, G. V. and **Emirbekov, E. T.** Diffraction of X-rays by single crystals of ageing alloys AlZn after hydrostatic compression 5, 182
Shur, Ya. S. *See* **Gass, V. G., Glazer, A. A.** and **Shur, Ya. S.** 5, 191
Shur, Ya. S. *See* **Tiunov, V. F., Zaykova, V. A.** and **Shur, Ya. S.** 4, 76
Shvachko, V. I. *See* **Pokhodnaya, I. K., Ustinov, V. G.** and **Shvachko, V. I.** 2, 173
Shvindlerman, L. S. *See* **Straumal, B. B., Sursayeva, V. G.** and **Shvindlerman, L. S.** 5, 102
Sidorenko, F. A. *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'mer, V. Ya.** and **Gel'd, P. V.** 3, 184
Sidorenko, F. A. *See* **Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** 3, 72
Sidorova, I. B. *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
Silin, V. P. *See* **Zverev, V. M.** and **Silin, V. P.** 1, 15
Silonov, V. M. *See* **Katsnel'son, A. A., Silonov, V. M.** and **Khavada Earid A.** 1, 40
Slutskiy, M. I. *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** 2, 44
Skakov, Yu. A. *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
Smirnov, L. V. *See* **Levit, V. I., Bakhteyeva, N. D.** and **Smirnov, L. V.** 2, 153
Smirnov, S. V., Bogatov, A. A. and **Kolmogorov, V. L.** Investigation of the plastic loosening of a metal and the healing of strain-induced defects during annealing 2, 143
Skripko, Z. A. *See* **Demidenko, V. S.** and **Skripko, Z. A.** 6, 31
Skryabin, Yu. N. *See* **Izyumov, Yu. A.** and **Skryabin, Yu. N.** 5, 1
Smirnov, L. V. *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
Smirnov, M. A. *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
Sokhareva, T. N. *See* **Vlasov, K. B., Sokhareva, T. N.** and **Timoshchuk, V. I.** 6, 89
Sokolov, B. K. *See* **Balandin, B. N., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 125
Solov'yev, V. A. *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
Sorokin, V. G. *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** 5, 138
Sorokina, N. A. *See* **Georgiyeva, I. Ya., Sorokina, N. A.** and **Gal'tsova, V. I.** 1, 178
Soshnikov, V. I. *See* **Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** 2, 166
Spakevics, S. and **Arato, P.** Peculiarities of secondary recrystallization in iron–nickel alloys 2, 86
Starenchenko, V. A. *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** 3, 152
Starenchenko, V. A. *See* **Popov, I. Ye., Kobytev, V. S., Sterenchenko, V. A.** and **Baumgarten, M. I.** 4, 167
Stefanovich, A. V. and **Buldovskiy, V. A.** Phase transitions in ferroelectric antiferromagnets 6, 150
Stepanov, A. P. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** 6, 94

Stepanov, A. P. *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** 3, 91
Stepanov, B. M. *see* **Antonets, Ye. P., Stepanov, B. M.** and **Fabrikov, V. A.** 3, 51
Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V. and **Fedorenko, A. I.** The epitaxy, structure and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite 4, 111
Stetsenko, P. N. *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** 6, 173
Straumal, B. B., Sursayeva, V. G. and **Shvindlerman, L. S.** Dependence of the rate of non-activated motion of a grain boundary on its orientation 5, 102
Subbotin, A. V. *See* **Konobeyev, Yu. V.** and **Subbotin, A. V.** 3, 175
Sudareva, S. V. *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** 5, 122
Sukhanov, V. D., Shashkov, O. D. and **Syutkina, V. I.** Study of decomposition in ordered alloys with a periodic antiphase domain structure 6, 123
Sursayeva, V. G. *See* **Straumal, B. B., Sursayeva, V. G.** and **Shvindlerman, L. S.** 5, 102
Svirskaya, L. M. and **Svirskiy, M. S.** Energy sub-bands in the polar model of a crystal 4, 1
Svirskaya, L. M. *See* **Svirskiy, R. S.** and **Svirskaya, L. M.** 5, 22
Svirskiy, M. S. *See* **Svirskaya, L. M.** and **Svirskiy, M. S.** 4, 1
Svirskiy, R. S. and **Svirskaya, L. M.** Polar states and the free electron gas of a metal 5, 22
Sysoyev, V. Ya. *See* **Kornev, Yu. V.** and **Sysoyev, V. Ya.** 1, 190
Syutkin, N. N. *See* **Ivchenko, V. A.** and **Syutkin, N. N.** 1, 121
Syutkin, P. N. (dec.) *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
Syutkina, V. I. *See* **Sukhanov, V. D., Shashkov, O. D.** and **Syutkina, V. I.** 6, 123
Syromyatnikov, V. N. *See* **Kinev, V. D., Naysh, Ye.** and **Syromyatnikov, V. N.** 2, 10

Taluts, G. G. *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** 3, 24
Tankeyev, A. P. *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tankeyev, A. P.** 3, 37
Tankeyev, A. P. *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** 3, 59
Televich, R. V. *See* **Gridnev, V. N., Oshkaderov, S. P.** and **Televich, R. V.** 3, 200
Televich, R. V. *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** 4, 190
Teplyakova, L. A. *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** 3, 152
Teplykh, A. Ye. *See* **Valiyev, E. Z.** and **Teplykh, A. Ye.** 2, 32
Teytel', Ye. I. *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
Timofeyev, N. I., Gromov, V. I., Berseneva, F. N. and **Gol'tsov, V. A.** Influence of solute hydrogen on the mechanical properties of palladium 4, 173
Timofeyev, N. I. *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** 5, 85
Timofeyev, N. I. *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
Timoshchuk, V. I. *See* **Vlasov, K. B., Sokhareva, T. N.** and **Timoshchuk, V. I.** 6, 89

Tiunov, V. F., Zaykova, V. A. and **Shur, Ya. S.** Electromagnetic losses and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction **4,** 76
Tokmakova, V. A. *See* **Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I.** and **Tokmakova, V. A.** **2,** 39
Tokmakova, V. A. *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
Torba, G. F. *See* **Rusov, G. I., Zherikov, S. P., Bochkarev, V. F.** and **Torba, G. F.** **6,** 119
Trakhtenberg, I. Sh. *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
Tret'yakov, B. N. *See* **Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I.** and **Tokmakova, V. A.** **2,** 39
Tret'yakov, B. N. *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
Tyumentsev, A. N. *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96

Udovenko, V. A. *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** **4,** 182
Ukhlinov, G. A. and **Kosakovskaya, Z. Ya.** Statistical orientational model of textured specimens of metals with uniaxial symmetry **4,** 104
Umanskiy, G. P. *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** **4,** 131
Ustinov, V. G. *See* **Pokhodnaya, I. K., Ustinov, V. G.** and **Shvachko, V. I.** **2,** 173
Ustinov, V. V. Contribution of plane defects to the resistivity of a metal **1,** 22
Utevskiy, L. M. *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
Uvarov, A. I. *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** **2,** 129
Uvarov, A. I. *See* **Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152

Vadernikov, M. V. *See* **Zhumagulov, A.** and **Vadernikov, M. V.** **4,** 193
Valishev, M. G., Yesin, Yu. O. and **Gel'd, P. V.** Influence of short-range order on the heat of formation of binary alloys **4,** 185
Valiyev, E. Z. Invar anomalies and the properties of ferromagnets with strong magneto-elastic interaction **5,** 73
Valiyev, E. Z. and **Teplykh, A. Ye.** Magnetic properties of alloys with a critical concentration and Invar anomalies **2,** 32
Valiyev, R. Z., Kaybyshev, O. A. and **Sergeyev, V. I.** Role of diffusion creep during superplastic deformation of magnesium alloy **6,** 144
Varaksin, A. N. *See* **Volobuyev, P. V., Puzanova, N. M.** and **Varaksin, A. N.** **3,** 34
Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S. and **Shaposhnikov, N. G.** Phase transformations during high-temperature austenitization and decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys **3,** 137
Vas'kovskiy, V. O. *See* **Kandaurova, G. S.** and **Vas'kovskiy, V. O.** **4,** 57

Vaynshteyn, A. A. and **Mendel'son, V. M.** Stresses in components during martensitic transformation **6,** 156
Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P. and **Galoshina, E. V.** Nuclear magnetic resonance in alloys $V_{2-x}Nb_xHf$ **6,** 94
Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M. and **Bulakh, I. Ye.** Nuclear magnetic resonance and susceptibility of V_2 (Hf, Zr) compounds. Density of electronic states **3,** 91
Vesechkina, T. P. *See* **Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
Veter, V. V. *See* **Chebotkevich, L. A., Pashchenko, T. N.** and **Veter, V. V.** **6,** 68
Vinogradov-Zhabrov, O. N. *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** **6,** 163
Vinokurova, L. I., Ivanov, V. Yu. and **Sagoyan, L. I.** On the transition from antiferromagnetism to ferromagnetism in ordered Pt–Fe alloys **3,** 76
Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F. and **Serebryakov, V. G.** Elastic constants of magnesium–copper alloys **4,** 182
Vladimirov, A. B. *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
Vlasov, K. B., Rozenberg, Ye. A. and **Burkhanov, A. M.** Anisotropy of transverse even galvanomagnetic effects in natural weakly ferromagnetic hematite **1,** 29
Vlasov, K. B., Sokhareva, T. N. and **Timoshchuk, V. I.** Magnetoresistance and the magnetic properties of MnB_2 **6,** 89
Vlasova, Ye. N., Izotova, G. A., Potapov, N. N. and **Libman, M. A.** Structural features of the initial stages of ordering in alloy Co–Pt and the influence of magnetic annealing **4,** 140
Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N. and **Tokmakova, V. A.** Structural features and magnetic properties of Fe–Ni–Cr Elinvars **1,** 110
Vo Khong An, On the paramagnetic excitation of acoustic waves in the presence of electron currents **4,** 8
Vol'f, G. V. and **Shirokovskiy, V. P.** Fermi surface of vanadium monoxide **3,** 169
Vol'f, G. V. and **Shirokovsky, V. P.** The Fermi surface of titanium monoxide **1,** 53
Volkenshteyn, N. V. *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** **6,** 50
Volobuyev, P. V., Puzanova, N. M. and **Varaksin, A. N.** Continuous approximation of the theory of interstitial diffusion in metals and alloys with an f.c.c. lattice **3,** 34
Voloshinskiy, A. N. and **Ryzhanova, N. V.** Residual coefficient of the anomalous Hall effect in alloys FeCo, FeNi and CoNi **4,** 68
Vorob'yev, Yu. N. and **Yur'yev, G. S.** Investigation of the structure and thermodynamic parameters of a model metallic system **1,** 7
Vovk, Ya. N. *See* **Gridnev, V. V.** and **Vovk, Ya. N.** **2,** 100
Vovk, Ya. N. *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** **4,** 190
Vyatkin, A. F. *See* **Andreyev, L. A.** and **Vyatkin, A. F.** **3,** 144
Vykhodets, V. B. and **Fishman, A. Ya.** Concerning the discontinuity of hydrogen solubility in metals during melting **2,** 197
V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I. and **Nedbay, A. I.** Investigation of internal friction in titanium nickelide **5,** 111

Yakimov, I. I., Gorovoy, A. M. and **Litvinsev, V. V.** Peculiarities of the hyperfine magnetic structure of Invar films **4,** 46
Yakovlev, G. P. *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** **2,** 59
Yakovleva, I. L. *See* **Schastlivtsev, V. M., Yakovleva, I. L.** and **Zavarov, A. S.** **1,** 115
Yakutovich, M. V. *See* **Savin, V. I., Markin, V. Ya. Deryavko, I. I.** and **Yakutovich, M. V.** **2,** 170
Yegorushkin, V. Ye. *See* **Boletskaya, T. K., Yegorushkin, V. Ye.** and **Fadin, V. P.** **5,** 184
Yermolenko, A. S. *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
Yerukhimov, M. Sh., Zhigalov, V. S. and **Frolov, G. I.** Temperature behaviour of the magnetization of Permalloy alloys in the presence of impurity atoms **6,** 73
Yesin, Yu. O. *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** **4,** 185
Yudina, A. G. *See* **Berezina, T. G.** and **Yudina, A. G.** **1,** 74
Yur'yev, G. S. *See* **Vorob'yev, Yu. N.** and **Yur'yev, G. S.** **1,** 7

Zabolotskiy, Ye. I. *See* **Irkhin, Yu. P., Zabolotskiy, Ye. I.** and **Rozenfel'd, Ye. V.** **6,** 78
Zakharova, I. N. *See* **Kondorskiy, Ye. I., Galkina, O. S.** and **Zakharova, I. N.** **1,** 58
Zakharova, M. I. and **Dudchenko, G. N.** Phase structure in quenched and aged copper–tin and copper–tin–aluminium alloys **1,** 174
Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G. and **Seleznev, V. L.** Influence of heat and radiation treatment of austenite on the martensitic transformation in Fe–Ni alloys **3,** 100
Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N. and **Seleznev, V. N.** Influence of annealing on the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics **4,** 86
Zambrzhitskiy, V. N. *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Zambrzhitskiy, V. N.** **2,** 94
Zamorov, Yu. V. *See* **Baranov, Yu. V., Kostyukova, Ye. P.** and **Zamorov, Yu. V.** **5,** 117
Zavarov, A. S. *See* **Schastlivtsev, V. M., Yakovleva, I. L.** and **Zavarov, A. S.** **1,** 115
Zaykova, V. A. *See* **Tiunov, V. F., Zaykova, V. A.** and **Shur, Ya. S.** **4,** 76
Zaytseva, G. A. *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
Zherikhov, S. P. *See* **Rusov, G. I., Zherikhov, S. P., Bochkarev, V. F.** and **Torba, G. F.** **6,** 119
Zhigalov, V. S. *See* **Yerukhimov, M. Sh. Zhigalov, V. S.** and **Frolov, G. I.** **3.** 73
Zhorovkov, M. F. *See* **Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** **6,** 1
Zhukovskiy, I. M. Behaviour of wedge disclinations near a surface **1,** 1
Zhumagulov, A. and **Vadernikov, M. V.** On the electrical and thermoelectrical properties of binary metallic alloys **4,** 193
Zhuravlev, A. F. *See* **Pushkar', V. N., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** **3,** 41
Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A. and **Nikulin, A. D.** On the formation mechanism of the phase V_3Ga in composite V/Cu-Ca **5,** 122
Zizin, V. I. *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** **3,** 173
Zolotarev, S. N., Molotilov, B. V. and **Samarina, N. M.** On the nitial stages of decom-

position of the amorphous state of alloys CoFe(SiB) during annealing treatment of temperatures below the crystallization point **3,** 186

Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A. and **Solov'yev, V. A.** Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases **1,** 87

Zverev, V. M. and **Silin, V. P.** The magnon spectrum and magnetoacoustic resonance in conductive ferromagnets **1,** 15

Zvigintsev, N. V. *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** **3,** 137

Zyryanov, V. G. *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** **6,** 163

Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye. and **Okulov, V. I.** The transverse electric quantum wave spectrum in thin metal films **5,** 57